

www.osram.com/hal



The best light for sophisticated demands.

HALOGEN ECO: the no-compromise direct
alternative to standard lamps.

 HALOGEN
ECO

SEE THE WORLD IN A NEW LIGHT

OSRAM





Best feel-good quality of light.

The only genuine direct alternative to the incandescent lamp.

HALOGEN ECO lamps with CLASSIC LIGHT are full alternatives to conventional incandescent lamps. Modern ECO halogen lamps from OSRAM provide the same attractive warm light with excellent color rendering – but are more eco-friendly and more durable.

Standard incandescent lamps
with E14/E27 bases

Replace
with



55W

HALOGEN ECO
with E14/E27 bases

Your
benefits



42W

- Direct replacements and the same dimensions as corresponding standard lamps
- The same pleasant quality of light as that of an incandescent lamp
- Perfect color rendering: $R_a=100$
- Instant light with no warm-up time
- Familiar shapes: bulb, candle, round and spot
- Twice the life of a standard lamp
- 100 % stepless dimming on any commercially available dimmer
- No mercury; simple disposal with ordinary household waste



HALOGEN ECO "CLASSIC LIGHT" in classic incandescent lamp shapes with E14/E27 bases.

- HALOGEN CLASSIC A ECO:
18 W, 28 W, 42 W, 53 W, 70 W, 105 W (1)
- HALOGEN CLASSIC B ECO:
18 W, 28 W, 42 W (2)
- HALOGEN CLASSIC BW ECO: 28 W (3)
- HALOGEN CLASSIC P ECO with E14 base:
18 W, 28 W, 42 W (4)
- HALOGEN CLASSIC P ECO with E27 base:
18 W, 28 W, 42 W (5)
- HALOGEN SPOT R50 ECO: 28 W (6)
- HALOGEN SPOT R63 ECO: 42 W (7)

TECHNICAL DATA

Order reference



Order code
box

Order code
blister

HALOGEN CLASSIC A ECO – E27 – clear – 230 V

64541 A ECO 18W	170	D	4008321927163	4008321928351
64542 A ECO 28W	345	D	4008321211828	4008321916273
64543 A ECO 42W	630	C	4008321212078	4008321916297
64544 A ECO 53W	840	C	4008321927187	4008321928375
64547 A ECO 70W	1200	C	4008321927200	4008321928399
64548 A ECO 105W	1900	C	4008321928153	4008321928412

HALOGEN CLASSIC B ECO – E14 – clear – 230 V

64541 B ECO 18W	170	D	4008321927286	4008321928511
64542 B ECO 28W	345	D	4008321212153	4008321916310
64543 B ECO 42W	630	C	4008321927309	4008321928535

HALOGEN CLASSIC BW ECO – E14 – clear – 230 V

64542 BW ECO 28W	345	D	4008321927385	4008321928597
------------------	-----	---	---------------	---------------

HALOGEN CLASSIC P ECO – E14 – clear – 230 V

64541 P ECO 18W	160	D	4008321927446	4008321928672
64542 P ECO 28W	320	D	4008321927460	4008321928696
64543 P ECO 42W	580	D	4008321927484	4008321928719

HALOGEN CLASSIC P ECO – E27 – clear – 230 V

64541 P ECO 18W	160	D	4008321927569	4008321952745
64542 P ECO 28W	320	D	4008321927583	4008321952769
64543 P ECO 42W	580	D	4008321927606	4008321952783

HALOGEN Spot R50 ECO – E14 – 30° – 230 V

64545 R50 ECO 28W	410	–	4008321212115	4008321916334
-------------------	-----	---	---------------	---------------

HALOGEN Spot R63 ECO – E27 – 40° – 230 V

64546 R63 ECO 42W	765	–	4008321212139	4008321916358
-------------------	-----	---	---------------	---------------



Mixed Sources

Product group from well-managed
forests and other controlled sources
www.fsc.org Cert no. SA-COC-001463
© 1996 Forest Stewardship Council

1A1S002GB 09/10 OSRAM CRM MK AB Subject to modification without notice. Errors and omissions excepted.

SEE THE WORLD IN A NEW LIGHT

OSRAM

