

Lok-it! 1200 W 80 V/32/P50

Lok-it! | Halogenlampor



Produktfördelar

- Optimerad användning av genererat ljus i spotlighten



Tekniska data

Produktinformation

Ordernummer	LOK-IT! 1200W/3
-------------	-----------------


Elektriska data

Nominell märkspänning	800 V
Nominell watttal	120000 W
On-mode power [AGGR]	1265.00 W
Energy consumption in on-mode [AGGR]	1265.0 kWh/1000h

Fotometrisk data

Färgtemperatur	3200 K
Färgåtergivningsindex Ra	100
Φuse value refers to luminous flux .. [AGGR]	360
Correlated color temperature CCT [AGGR]	3308 K
Useful luminous flux (Φuse) [AGGR]	27865 lm
Chromaticity coordinate x [AGGR]	0.416
Chromaticity coordinate y [AGGR]	0.395

Mått



Diameter	2300 mm
Längd	1400 mm
Avstånd a / LCL	84,0 mm
Belyst område	14,7*14,5 mm ²

Livslängder

Livslängd	250 h
-----------	-------

Tillägg produktdata

Lighting technology used [AGGR]	HL
---------------------------------	----

Användningsområden

Brinnläge	Universal
-----------	-----------

Certifikat och Standarder

Energy efficiency class [AGGR]	G
--------------------------------	---

Landspecifika kategorier

ANSI Kod	Other
Ordernummer	LOK-IT! 1200W/3

Logistikdata

EAN 10 of contained light source	4008321382795
----------------------------------	---------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	22-04-2024
Primary Article Identifier	4008321382795
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

Produktdatablad

Säkerhetsanvisningar

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (cover panel etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. Because of the heat produced only heat-resistant lamp connections (holders) may be used. Do not operate near people, or any materials that are flammable, sensitive to heat or affected by drying out. Detailed information is available on request.

Logistiska data

Produktnummer	Produktbeskrivning	Förpackningsenhet (Styck/Enhet)	Dimensioner (längd x bredd x höjd)	Volym	Bruttovikt
4008321382795	Lok-it! 1200 W 80 V/32/P50	Kapsel 1	70 mm x 70 mm x 160 mm	0.78 dm ³	178.00 g
4008321382801	Lok-it! 1200 W 80 V/32/P50	Transportförpackning 12	294 mm x 222 mm x 175 mm	11.45 dm ³	2341.00 g

Produktkoden gäller minsta tillåtna beställningskvantitet. En transportförpackning kan innehålla en eller flera produkter. Vid orderläggning, vänligen ange en eller flera transportförpackningar.

Friskrivningsklausul

Kan ändras utan föregående notifiering. Felaktigheter och försummelse undantagna. Se alltid till att använda den senaste utgåvan.