

ORIGINAL LINE

Original spare part



The cost-effective original spare parts for motorcycles

OSRAM ORIGINAL LINE motorcycle lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.



Product family datasheet

Technical data

Product description	Electrical Data				Physical Attributes & Dimensions
	Power input	Nominal voltage	Nominal wattage	Test voltage	Lamp base
ORIGINAL LINE S1	40 W ¹⁾	12 V	25/25 W	13.2 V	BA20d
ORIGINAL LINE S2	40 W ¹⁾	12 V	35/35 W	13.2 V	BA20d
ORIGINAL LINE HS1	36.8 / 36.8 W ¹⁾	12 V	35 W	13.2 V	PX43t

Product description	Length	Diameter	Lifetime Data		Certificates & standards
			Lifespan B3	Lifespan Tc	ECE category
ORIGINAL LINE S1	67.0 mm	15.0 mm	100 / 200 hr	200 / 400 hr	S1
ORIGINAL LINE S2	71.0 mm	14.7 mm	100 / 200 hr	180 / 400 hr	S2
ORIGINAL LINE HS1	85.0 mm	16.5 mm	75 / 150 hr ²⁾	150 / 300 hr ²⁾	HS1

Product description	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
	Primary article identifier	Candidate list substance 1	Declaration no. in SCIP database
ORIGINAL LINE S1	4050300942650 4052899157774	No declarable substances contained	No declarable substances contained
ORIGINAL LINE S2	4052899136786 4052899136755 4052899929692 4062172184670 4008321183309 4050300942629 4052899593626	No declarable substances contained	No declarable substances contained
ORIGINAL LINE HS1	4062172180771 4008321508805 4052899253575 4052899418042 4052899253513 4052899408418 4008321056740 4008321056764 4050300439969 4062172395588	No declarable substances contained	No declarable substances contained

¹⁾ Maximum

²⁾ Filament 1

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	ref_pim_amsproduct360degreeimages ORIGINAL S1 64326
	ref_pim_amsproduct360degreeimages ORIGINAL MOTORCYCLE S2 64327
	ref_pim_amsproduct360degreeimages ORIGINAL MOTORCYCLE HS1 64185

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

