

Halogen (> 130 V) Double End



Areas of application

- Stage & Theatre
- Studio, TV, & Film
- Professional Photography
- Club & Disco

Product features and benefits

- Robust construction for lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift










Product family datasheet






HALOGEN STUDIO LAMP 64571, 64572

HALOGEN STUDIO LAMP 64580





HALOGEN STUDIO LAMP 64751

HALOGEN STUDIO LAMP 64781

Product family datasheet

Technical data

	General Product Information		Electrical Data	Physical Attributes & Dimensions
Product description	ANSI code	LIF code	Nominal voltage	Lamp base
64571 800 W 230 V	DXX	P2/13	230 V	R7s
64571 800 W 240 V	DXX	P2/13	NaN V	R7s
64572 1000 W 230 V	-	P2/35	230 V	R7s
64580 1000 W 230 V	-	P1/12	230 V	R7s
64580 1000 W 240 V	-	P1/12	240 V	R7s
64583 1000 W 230 V	-	P2/20	230 V	R7s
64583 1000 W 240 V	-	P2/20	240 V	R7s
64741 1000 W 230 V	EKM	P2/7	230 V	R7s
64741 1000 W 240 V	EKM	P2/7	240 V	R7s
64751 1250 W 230 V	-	P2/12	230 V	R7s
64751 1250 W 240 V	-	P2/12	240 V	R7s
64781 2000 W 240 V	-	P2/27	240 V	RX7s

Product description	Nominal lifetime	
64571 800 W 230 V	75 hr	
64571 800 W 240 V	75 hr	
64572 1000 W 230 V	75 hr	
64580 1000 W 230 V	15 hr	
64580 1000 W 240 V	15 hr	
64583 1000 W 230 V	200 hr	
64583 1000 W 240 V	200 hr	
64741 1000 W 230 V	200 hr	
64741 1000 W 240 V	200 hr	
64751 1250 W 230 V	200 hr	
64751 1250 W 240 V	200 hr	
64781 2000 W 240 V	300 hr	

Product family datasheet

Safety advice

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.