

Blacklight Blue UV-A



Product features and benefits

- Long-wave radiation: 300...400 nm
- Visible radiation is almost completely absorbed




Product family datasheet



BLACKLIGHT BLUE L 18W/73



BLACKLIGHT BLUE



GP-BLACKLIGHT BLUE L 36W/73

Product family datasheet

Technical data

| | General Product Information | Electrical Data | Photometric Data | Physical Attributes & Dimensions |
|---------------------|-----------------------------|-----------------|-----------------------------------|----------------------------------|
| Product description | Global order reference | Nominal wattage | Radiated power 315...400 nm (UVA) | Lamp base |
| SUPRATEC 18 W/73 | SUPRATEC 18 W/73 | 18 W | 3.5 W | G13 |
| SUPRATEC | L 36W/73 | 36 W | 8 W | G13 |

| | Operating Conditions | Lifetime Data | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---------------------|----------------------|------------------|---|--|
| Product description | Burning position | Nominal lifetime | Primary article identifier | Declaration no. in SCIP database |
| SUPRATEC 18 W/73 | Any | 2000 hr | 4052899523517 4052899519527 4008321054685 | 4cf41eb8-0ed2- 4b84-866a- a58f90e067e0 |
| SUPRATEC | Any | 2000 hr | 4008321054715 4052899523531 4052899519541 | 1f77287b-7720- 4136-8866- de2474a638fb |

| Product description | Candidate list substance 1 | CAS No. of substance 1 | Safe use instruction |
|---------------------|----------------------------|------------------------|--|
| SUPRATEC 18 W/73 | Lead | 7439-92-1 | The identification of the Candidate List substance is sufficient to allow safe use of the article. |
| SUPRATEC | Lead | 7439-92-1 | The identification of the Candidate List substance is sufficient to allow safe use of the article. |

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.