

## LEDinspect 3-IN-1 INSPECTION LIGHT KIT



### Bright LED torch

500 Lumen LED torch with adjustable focus beam




### Adjustable inspection light

Bright 450 Lumen inspection light with 180° rotating head



### Magnetic gooseneck light

Place light exactly where you need it with the fully flexible gooseneck with 160 lumen output



### Versatile, 3-in-1 Kit with multiple modes for different tasks

The OSRAM LEDinspect™ 3-IN-1 INSPECTION LIGHT KIT is an innovative and adaptable lighting solution for users who need flexibility and performance. This multifunctional kit contains three interchangeable attachments - a flashlight, an inspection light and a gooseneck light - making it ideal for automotive, workshop and general inspection work. Each attachment has four lighting modes - high, medium, eco and flash - for different tasks. The powerful 500 lumen flashlight provides focused illumination for up to 2 hours on the High setting, while the 450 lumen inspection light offers wide illumination with an adjustable double joint that can be rotated 180° and 230° for precise positioning. The 160 lumen gooseneck light offers up to 7 hours of operation on the high setting and an adjustable spot-to-flood function for more versatility.

Product family datasheet

Technical data

|                     | Product information                         |  | General Product Information | Electrical Data |                 |
|---------------------|---------------------------------------------|--|-----------------------------|-----------------|-----------------|
| Product description | Application (Category and Product specific) |  | Global order reference      | Nominal voltage | Nominal wattage |
| INSPECTION KIT      | LED inspection lights                       |  | LEDIL417                    | 5 V             | 10 W            |

|                     | Photometric Data |                       | Physical Attributes & Dimensions |          |
|---------------------|------------------|-----------------------|----------------------------------|----------|
| Product description | Light color LED  | Nominal luminous flux | Length                           | Width    |
| INSPECTION KIT      | White            | 500 lm                | 235.0 mm                         | 180.0 mm |

|                     |         |                | LED module information    | Colors & materials |
|---------------------|---------|----------------|---------------------------|--------------------|
| Product description | Height  | Product weight | Number of LEDs per module | Base color         |
| INSPECTION KIT      | 45.0 mm | 775.00 g       | 1                         | Black / Orange     |

|                     | Lifetime Data | Capabilities | Logistical data       | Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |
|---------------------|---------------|--------------|-----------------------|--------------------------------------------------------------------------------------------------|
| Product description | Guarantee     | Technology   | Watt hour per battery | Candidate list substance 1                                                                       |
| INSPECTION KIT      | 2 years       | LED          | 14.10                 | Lead                                                                                             |

| Product description | CAS No. of substance 1 | Safe use instruction                                                                               | Declaration no. in SCIP database     |
|---------------------|------------------------|----------------------------------------------------------------------------------------------------|--------------------------------------|
| INSPECTION KIT      | 7439-92-1              | The identification of the Candidate List substance is sufficient to allow safe use of the article. | d7497ae5-dfe4-4cf9-9b6e-d78f63bbaebd |

Download Data

| File                                                                              |                                                                     |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------------|
|  | User instruction<br>LEDinspect 3-IN-1 INSPECTION LIGHT KIT LEDIL417 |
|  | User instruction<br>GPRS_Safety symbols instructions                |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.