### Product family datasheet

# LEDriving SL W16W WHITE

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications Available in Cool White



Easy upgrade to LED technology with plug & play solutions

**Replaces conventional W16W lamps** 



Reliable OSRAM quality stands for less lamp replacements 4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



#### Suitable LED replacement for W16W

LEDriving SL W16W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional W16W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

# Product family datasheet

# Technical data

	Product informa		General Product Information		Electrical Data		
Product description	Application (Cat and Product spe			Global order reference		Nominal voltage	
LEDriving SL ≙ W16W	Mainly used for signal/ indicator applications	Off-road ∉ W16W	è 921DWP		2.9 W	12 V	
				Photometric Data		Physical Attributes & Dimensions	
Product description	Nominal wattag	e Power input toleranc e	Test voltage	Nominal luminous flux		Lamp base	e
LEDriving SL ≙ W16W	3 W	±10 %	13.5 V	280 lm		W2.1x9.5d	
						Lifetime D	Data
Product description	Length	Diameter		Diameter		Lifespan B3	Lifespan Tc
LEDriving SL $\doteq$ W16W	35.9 mm	11.0 mm		11.0 mm		1500 hr	4000 hr
		Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907 (REACh)				7/2006	
Product description		Primary article identifier	Candid substa		CAS No. of substance 1		ice
LEDriving SL $\triangleq$ W16W	-	4062172150804   4062172401579	Lead	Lead 74		92-1	

Product description	Safe use instruction	Declaration no. in SCIP database
LEDriving SL ≜ W16W	The identification of the Candidate List substance is sufficient to allow safe use of the article.	f6394ce6-30c2-45ef- b36f-fd1ada0fead1

 $^{1)}$  Light-emitting diode lamp

\_\_\_

# Product family datasheet

#### Download Data

File
User instruction GPRS_Safety symbols instructions
Brochures LEDriving Retrofits - Exchange overview (EN)

#### Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

#### Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.