Product family datasheet

LEDriving SL W5W WHITE

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications Available in Cool White



Replaces conventional W5W lamps Easy upgrade to LED technology with

plug & play solutions



Reliable OSRAM quality stands for less lamp replacements 4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for W5W

LEDriving SL W5W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional W5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

	Electrical Data				Photometric Data
Product description	Power Nominal input	voltage Nomina		est oltage	Nominal luminous flux
LEDriving SL \doteq W5W	1.12 W 12 V	1 W	13	3.5 V	70 lm
	Phys	ical Attributes & Dime	nsions	Lifetime	e Data
Product description	Luminous Diam flux tolerance	eter Dia	ameter	Lifespa B3	n Lifespan Tc
LEDriving SL \doteq W5W	±25 % 10.0	mm 10	.0 mm	1500 hi	4000 hr
Product description	Environmental & Reg Information accordin Primary article identifier	gulatory Information g Art. 33 of EU Regulat Candidate list substance 1	ion (EC) 1907/2006 CAS No. of sul 1		Safe use instruction
LEDriving SL ≜ W5W	4062172408295 4062172348638 4062172352055 4052899620810 4062172401258	Lead	7439-92-1		The identification of the Candidate List substance is sufficient to allow safe use of the article.
Product description	Declaration no. in SCIP database				

Product description	Declaration no. In		
	SCIP database		
LEDriving SL \triangleq W5W	6f026af0-500d-4f2d-		
	bd6a-1166bb294d48		
	64465242-4712-		
	4f51-8663-		
	313005785df0		
	34b9f3a2-0f08-481c-		
	8c6e-9e87347ba1cf		
	87230ce2-265b-		
	4740-ae73-		
	4ad692d83c04		
	d493a7ba-1e50-4adf-		
	97d4-fe52b1e7a9c4		

Product family datasheet

Download Data

File
User instruction GPRS_Safety symbols instructions
Brochures LEDriving Retrofits - Exchange overview (EN)

Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.