## Product family datasheet

# LEDriving SL T4W

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications Available in Cool White



**Replaces conventional T4W lamps** Easy upgrade to LED technology with

plug & play solutions



Reliable OSRAM quality stands for less lamp replacements 4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



#### Suitable LED replacement for T4W

LEDriving SL T4W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional T4W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps.These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

# Product family datasheet

### Technical data

	Product information		General Product Information	Electrical Data	
Product description	Application (Category and Product specific)	Product type (off- road vs. on-road)	Global order reference	Power input	Nominal voltage
LEDriving SL ≙ T4W	Mainly used for signal/ indicator/ interior applications	Off-road ≙ T4W	3893DWP	1 W	12 V

		Photometric Data			Physical Attributes & Dimensions
Product description	Nominal wattage	Test voltage	Nominal luminous flux	Luminous flux tolerance	Diameter
LEDriving SL $\doteq$ T4W	1 W	13.5 V	75 lm	±25 %	9 mm

		Lifetime D	Lifetime Data C		ata Capabilities Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		Regulatory Information Information according Art. 33 of EU Regulation (EC)
Product description	Diameter	Lifespan B3	Lifespan Tc	Technology	Primary article identifier		
LEDriving SL $\doteq$ T4W	9 mm	1500 hr	4000 hr	LED <sup>1)</sup>	4062172150354   4062172401234		

Product description	Candidate list substance 1	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
LEDriving SL ≙ T4W	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	dd4362ec-e8fe-4d74- a254-b9aa4f0d5cb9   0c3a666d-6f4f-44ca- ab01-6f003518169b

 $^{1)}$  Light-emitting diode lamp

# Product family datasheet

#### Download Data

File
User instruction GPRS_Safety symbols instructions
Brochures LEDriving Retrofits - Exchange overview (EN)

#### Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

#### Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.