

ROADSIGHT 1500

ROADsight 1500



1080p resolution

High-definition video at 1080p resolution



Wide-angle 110° field of vision

Capture more of the road thanks to our distortion-free, high-quality lens



2-year OSRAM guarantee¹⁾

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers

Compact Dashcam with a clear view of every detail

The OSRAM ROADsight 1500 Dash Camera 1080p stands out due to its combination of advanced features and user-friendly design. The compact 2" screen ensures ease of use without taking up much space, while the adjustable suction cup mount provides flexibility in fitting, allowing you to position the device exactly where you need it. With a screen resolution of 1920 x 1080p and a frame rate of 30FPS, you can expect clear and smooth video quality. The 110° field of view captures a broad area, ensuring you don't miss any important details.



Operating efficiently within a voltage range of 8-30V, this device is compatible with various vehicles. The G Sensor automatically detects collisions and saves files to prevent data loss during unexpected events. It supports up to 32GB capacity with its Micro SD card slot, providing ample storage for your recordings. The USB-C power cable ensures a reliable power connection with a modern interface.




Designed for easy setup without the need for complex wiring, the sleek design includes a screen for ease of use, making it both functional and aesthetically pleasing. High-resolution recording ensures that every detail is captured clearly, and the collision protection feature offers peace of mind by automatically saving files in the event of a collision.

Tekniska data

| Produktbeskrivning | Information om miljö och regelverk Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | | | |
|--------------------|---|-------------------------------|-------------------|---|
| | Primär identifiering av artikel | Kandidatförteckning Ämne 1 | CAS-nr för ämne 1 | Instruktioner för säker användning |
| ROADSIGHT 1500 CAM | 4062172416597 | Lead | 7439-92-1 | Identifieringen av ämnet på kandidatlistan är tillräcklig för att artikeln ska kunna användas på ett säkert sätt. |

| Produktbeskrivning | Deklarationsnummer i SCIP-databasen |
|--------------------|--|
| ROADSIGHT 1500 CAM | 1c060f74-17c0- 4743-9832- 662c86694eaf |

Download

| Dokument | |
|---|--|
|  | User instruction ROADsight 1500 |
|  | User instruction Säkerhets symboler |
|  | User instruction ROADsight 1500 |

Lagliga hänvisningar

For precise conditions please refer to: www.osram.com/am-guaranteePlease note: The use of dashcams may be subject to specific legal regulations, particularly with regard to data protection and personal rights. As regulations across Europe are not harmonized, there are varying rules regarding the admissibility of video recordings. Before using the device for the first time, whether domestically or abroad, we recommend familiarizing yourself with the applicable legal requirements in the respective country.

Appliktionsråd

För mer detaljerad applikationsinformation och grafik, vänligen se produktdatablad

Friskrivningsklausul

Kan ändras utan föregående notifiering. Felaktigheter och försummelse undantagna. Se alltid till att använda den senaste utgåvan.