## Datablad produktfamilj

# **OSRAM**

## Oval WL VX100-WD







Up to 50 m long beam

For a large-area and wide light See and be seen with OSRAM distribution

ee and he seen with OSRAM



2 in 1: Front and rear application

Matched to individual requirements and needs for versatile applications



IP & IK protection classes

Tested and validated in a DINcertified environmental simulation laboratory



### Powerful LED working lights

Experience exceptional visibility with the OSRAM LEDriving Oval WL VX100-WD – a compact, powerful wide beam LED working light that combines affordability with performance, quality and durability. Designed to meet diverse tasks, the working light impresses with a luminous flux of up to 1500 effective lumens and a wide beam pattern with a light beam up to 50 meters. Emitting a color temperature of up to 6000 Kelvin and equipped with 4 high-performance OSRAM LEDs, the working light delivers consistent and reliable brightness, significantly enhancing safety at work for you and others.

Built for durability, the working light features a robust aluminum housing and a shatterproof polycarbonate lens. It withstands harsh environmental conditions such as dust, water, impacts, extreme temperatures and vibrations, meeting IP6K8 and IP6K9K standards verified in a certified environmental simulation laboratory. Versatile in its application, this LED working light is an effective addition to trucks, construction machinery, agricultural and commercial vehicles, as well as off-road vehicles. In addition, it is ECE R148 approved for use as a reversing light. Whether on the farm, on-site, or in the wilderness, the OSRAM LEDriving Oval WL VX100-WD is a reliable and efficient lighting solution that enhances performance and safety in challenging conditions<sup>1)</sup>. OSRAM provides a 2-year guarantee<sup>2)</sup>.

## Datablad produktfamilj

### Tekniska data

	Elektriska data		Fotometrisk data	Livsläng der
Produktbeskrivning	Nominell märkspänning	Nominell watttal	Ljusflöde	Livsläng d Tc i timmar
OVAL WL VX 100-WD	12/24 V	17 W	1500 lm	> 5000 hr
	Information om miljö och regelverk Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Produktbeskrivning	Kandidatförteckning Ämne 1	CAS-nr för ämne 1	Instruktioner för säker användning	Deklarationsnummer i SCIP-databasen
	Lead	•	Identifieringen av	

## Datablad produktfamilj

#### Download

#### **Dokument**



User instruction LEDriving OVAL WL VX100-WD



User instruction Säkerhets symboler

#### Säkerhetsanvisningar

For detailed application information, please refer to the product data sheet and the user instruction

#### Lagliga hänvisningar

1) Additional working lights without ECE approval for use as work lights are approved for use on any vehicle according to German Road Traffic Licensing Regulations (StVZO) §52 <sup>(7)</sup>. However, they must not be used and switched on while driving. In addition, individual special regulations, and laws of countries outside Germany must be observed.2) For precise conditions refer to: www.osram.com/am-guarantee

#### **Appliaktionsråd**

För mer detaljerad applikationsinformation och grafik, vänligen se produktdatablad

#### Friskrivningsklausul

Kan ändras utan föregående notifiering. Felaktigheter och försummelse undantagna. Se alltid till att använda den senaste utgåvan.