

# Oval WL VX150-WD



**Wide Beam Pattern**

For a large-area and wide light distribution



**Up to 69 m long beam**

See and be seen with OSRAM



**2 in 1: Front and rear application**

Matched to individual requirements and needs for versatile applications



**IP & IK protection classes**

Tested and validated in a DIN-certified environmental simulation laboratory



## Powerful LED working lights

Experience exceptional visibility with the OSRAM LEDriving Oval WL VX150-WD – a compact, powerful wide beam LED working light that combines affordability with performance, quality and durability. Designed to meet diverse tasks, the working light impresses with a luminous flux of up to 2300 effective lumens and a wide beam pattern with a light beam up to 69 meters. Emitting a color temperature of up to 6000 Kelvin and equipped with 6 high-performance OSRAM LEDs, the working light delivers consistent and reliable brightness, significantly enhancing safety at work for you and others. Built for durability, the working light features a robust aluminum housing and a shatterproof polycarbonate lens. It withstands harsh environmental conditions such as dust, water, impacts, extreme temperatures and vibrations,

meeting IP6K8 and IP6K9K standards verified in a certified environmental simulation laboratory. Versatile in its application, this LED working light is an effective addition to trucks, construction machinery, agricultural and commercial vehicles, as well as off-road vehicles. In addition, it is ECE R148 approved for use as a reversing light. Whether on the farm, on-site, or in the wilderness, the OSRAM LEDriving Oval WL VX150-WD is a reliable and efficient lighting solution that enhances performance and safety in challenging conditions<sup>1)</sup>. OSRAM provides a 2-year guarantee<sup>2)</sup>.

Tekniska data

| Produktbeskrivning | Elektriska data       |                  | Fotometrisk data | Livslängder           |
|--------------------|-----------------------|------------------|------------------|-----------------------|
|                    | Nominell märkspänning | Nominell watttal | Ljusflöde        | Livslängd Tc i timmar |
| OVAL WL VX 150-WD  | 12/24 V               | 30 W             | 2300 lm          | > 5000 hr             |

| Produktbeskrivning | Information om miljö och regelverk<br>Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                   |                                                                                                                   |                                        |
|--------------------|-------------------------------------------------------------------------------------------------------------|-------------------|-------------------------------------------------------------------------------------------------------------------|----------------------------------------|
|                    | Kandidatförteckning<br>Ämne 1                                                                               | CAS-nr för ämne 1 | Instruktioner för<br>säker användning                                                                             | Deklarationsnummer<br>i SCIP-databasen |
| OVAL WL VX 150-WD  | Lead                                                                                                        | 7439-92-1         | Identifieringen av ämnet på kandidatlistan är tillräcklig för att artikeln ska kunna användas på ett säkert sätt. | 3e544982-c0c2-44d6-9a8e-1ed939a2c66e   |

Download

| Dokument                                                                          |                                                |
|-----------------------------------------------------------------------------------|------------------------------------------------|
|  | User instruction<br>LEDriving OVAL WL VX150-WD |
|  | User instruction<br>Säkerhets symboler         |

**Säkerhetsanvisningar**

For detailed application information, please refer to the product data sheet and the user instruction

**Lagliga hänvisningar**

1) Additional working lights without ECE approval for use as work lights are approved for use on any vehicle according to German Road Traffic Licensing Regulations (StVZO) §52 <sup>(7)</sup>. However, they must not be used and switched on while driving. In addition, individual special regulations, and laws of countries outside Germany must be observed.2) For precise conditions refer to: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

**Appliaktionsråd**

För mer detaljerad applikationsinformation och grafik, vänligen se produktdatablad

**Friskrivningsklausul**

Kan ändras utan föregående notifiering. Felaktigheter och försummelse undantagna. Se alltid till att använda den senaste utgåvan.