


# ROADsight OCSE20N



## 20-meter long, durable extension cable

Enjoy flexibility during installation, even on larger vehicles like RVs, vans, or trailers



## Plug-and-play design

Quick and easy setup – the plug-and-play cable connects without the need for extra tools



## High-quality signal transmission

Ensures a secure and stable connection for your reversing camera



## Reliable 20-Meter Extension Cable for Your ROADsight Reverse Camera System

The extension cable for your existing ROADsight Reverse Camera system — designed to seamlessly connect your wired camera to the OCS700N monitor unit over longer distances without signal loss.

This 20-meter durable extension cable offers flexibility during installation, making it ideal for larger vehicles such as RVs, vans, or trailers.

Thanks to its plug-and-play design, installation is quick and hassle-free — no extra tools required. The cable provides stable signal transmission, guaranteeing a clear and uninterrupted video feed from your reversing camera. Extend your ROADsight system effortlessly and maintain full control and visibility while reversing, parking, or maneuvering — even at greater distances between camera and monitor.

## Datablad produktfamilj

### Tekniska data

|                    |                                                                                                                         |
|--------------------|-------------------------------------------------------------------------------------------------------------------------|
|                    | Information om miljö<br>och regelverk<br>Information<br>according Art. 33 of<br>EU Regulation (EC)<br>1907/2006 (REACH) |
| Produktbeskrivning | Deklarationsnummer<br>i SCIP-databasen                                                                                  |
| ROADSIGHT OCSE20N  | I arbete                                                                                                                |

Download

| Dokument                                                                          |                                        |
|-----------------------------------------------------------------------------------|----------------------------------------|
|  | User instruction<br>Säkerhets symboler |

**Appliaktionsråd**

För mer detaljerad applikationsinformation och grafik, vänligen se produktdatablad

**Friskrivningsklausul**

Kan ändras utan föregående notifiering. Felaktigheter och försummelse undantagna. Se alltid till att använda den senaste utgåvan.