

OSENZA Office G2 Switch Sensor

OSENZA Office G2 | Fristående sensorer



Produktegenskaper

- Light and motion sensor with switching contact
- Adjustable switch-off delay: 3 s to 30 min
- Light sensing range 10 lx...1000 lx
- Närvarodetektering via passiv IR-enhet
- Motion detection range up to Ø9m (at 3.5m mounting height)
- Minor Motion detection range up to Ø4m (at 2.5 m mounting height)
- Change of light treshhold with screwdriver direct at the sensor

Produktfördelar

- Up to 200W LED Load (or 1000W resistive load) connectable
- Extremely slim shape
- Mounting type: Surface mounting

Användningsområde

- Single office
- Corridors and storage rooms

Tekniska data

Elektriska data

Systemeffekt	090 W
--------------	-------

Mått



Höjd	250 mm
produktvikt	14500 g
Diameter	1200 mm

Temperaturer och driftsförhållanden

Omgivningstemperaturområde	-20...+40 °C
----------------------------	--------------

Användningsområden

Ljusreglerbar	Nej
Typ av installation	Montering/Tak
Maximal installationshöjd	4 m ¹⁾

¹⁾ for major movements [m]

Certifikat och Standarder

Skyddstyp	IP20
Godkännandemärkning	CE / CB

Logistikdata

Statistiskt varunummer	85365080900
------------------------	-------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)

Produktdatablad

Date of Declaration	08-09-2023
Primary Article Identifier	4052899629301
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	d09c67a4-10fc-42d0-9681-5259095e647d

Download

Dokument	
	User instruction UI of OSENZA Office G2 Switch Sensor
	Product Datasheet product datasheet OSENZA Office G2 (EN)

Logistiska data

Produktnummer	Produktbeskrivning	Förpackningsenhet (Styck/Enhet)	Dimensioner (längd x bredd x höjd)	Volym	Bruttovikt
4052899629301	OSENZA Office G2 Switch Sensor	Transportförpackning 48	528 mm x 398 mm x 177 mm	37.20 dm ³	10176.00 g

Produktkoden gäller minsta tillåtna beställningskvantitet. En transportförpackning kan innehålla en eller flera produkter. Vid orderläggning, vänligen ange en eller flera transportförpackningar.

Friskrivningsklausul

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.