

DALI-2 SENSOR LS/PD W CM

DALI-2 SENSOR LS/PD W CM | Sensorer



Produktegenskaper

- Light and motion sensor for surface mounting
- Motion detection via passive IR element
- Light sensor operating range: 5...2000 lx (measured at sensor)
- Detection height up to 4 meter
- Function indicator LED

Produktfördelar

- Protection Class IP54
- Large motion detection range
- Simple and fast installation via wire springs
- DALI-2 certified
- DALI Bus powered (No mains connection necessary)
- Multiple sensors connectable to the same DALI line
- Shutter included to optimize sensor detection
- Integreable in light- and building management systems supporting DALI-2 sensors

Användningsområde

- Underground Parking
- Multi-storey car park
- Trapphus

Tekniska data

Elektriska data

Required DALI current (typical)	8 mA
Peak DALI current	8 mA
Maximum start-up time (DALI)	600 ms

Mått



produktvikt	13000 g
Längd	1050 mm
Bredd	1050 mm
Höjd	690 mm

Temperaturer och driftsförhållanden

Omgivningstemperaturområde	-20...+45 °C
----------------------------	--------------

Användningsområden

Arbetsområde ljussensor	5...2000 lx
Detekteringsvinkel	180 °
Dimmer gränssnitt	DALI-2
Detekteringsområde	24 m ² ¹⁾
Maximal installationshöjd	4 m
Ljusreglerbar	Nej
Typ av installation	Surface mounting

¹⁾ Maximum diameter

Certifikat och Standarder

Skyddstyp	IP54
-----------	------

Logistikdata

Statistiskt varunummer	90318080000
------------------------	-------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	21-07-2023
Primary Article Identifier	4052899630468
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	8730eac6-3319-4dd4-a07a-9898858f2ffe

Teknisk utrustning

– Optional: Surface mounting via QBM 220-240 LS/PD CM KIT

Download

Dokument	
	User instruction DALI-2 Sensors DALI-2 Occupancy Daylight Sensor

Logistiska data

Produktnummer	Produktbeskrivning	Förpackningsenhet (Styck/Enhet)	Dimensioner (längd x bredd x höjd)	Volym	Bruttovikt
4052899630468	DALI-2 SENSOR LS/PD W CM	Transportförpackning 24	525 mm x 390 mm x 215 mm	44.02 dm ³	6585.00 g

Produktkoden gäller minsta tillåtna beställningskvantitet. En transportförpackning kan innehålla en eller flera produkter. Vid orderläggning, vänligen ange en eller flera transportförpackningar.

Friskrivningsklausul

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.