

TEC FLEX Shortpitch Protect

LED-moduler för semi-professionella program



Produktegenskaper

- Flexibel klippbar LED list
- Available with color temperature: 2,700K, 3,000 K, 4,000 K
- Up to 50,000 hrs lifetime @ tc max
- Color consistency in 3 SDCM

Produktfördelar

- Enkel montering på många släta ytor tack vare självhäftande tejp på baksidan



Tekniska data

Elektriska data

Produktbeskrivning	Nominell märkspänning	Strömtyp	Märkeffekt	Inspänningso mråde	Accidental reverse input voltage protection up to
TFP600S-G1 -827-05	24,0 V	Direkt ström (DC)	27,50 W	23...25 V	25 V
TFP600S-G1 -830-05	24,0 V	Direkt ström (DC)	27,50 W	23...25 V	25 V
TFP600S-G1 -840-05	24,0 V	Direkt ström (DC)	27,50 W	23...25 V	25 V
TFP600S-G1 -865-05	24,0 V	Direkt ström (DC)	27,50 W	23...25 V	25 V
TFP600S-G1 -850-05	24,0 V	Direkt ström (DC)	27,50 W	23...25 V	25 V
TFP600S-G1 -927-05	24,0 V	Direkt ström (DC)	29,50 W	23...25 V	25 V
TFP600S-G1 -930-05	24,0 V	Direkt ström (DC)	29,50 W	23...25 V	25 V
TFP600S-G1 -935-05	24,0 V	Direkt ström (DC)	29,50 W	23...25 V	25 V
TFP600S-G1 -940-05	24,0 V	Direkt ström (DC)	29,50 W	23...25 V	25 V
TFP1000S-G1 -827-05	24,0 V	Direkt ström (DC)	45,00 W	23...25 V	25 V
TFP1000S-G1 -830-05	24,0 V	Direkt ström (DC)	45,00 W	23...25 V	25 V
TFP1000S-G1 -840-05	24,0 V	Direkt ström (DC)	45,00 W	23...25 V	25 V
TFP1000S-G1 -865-05	24,0 V	Direkt ström (DC)	45,00 W	23...25 V	25 V
TFP1000S-G1 -850-05	24,0 V	Direkt ström (DC)	45,00 W	23...25 V	25 V
TFP1000S-G1 -927-05	24,0 V	Direkt ström (DC)	49,50 W	23...25 V	25 V
TFP1000S-G1 -930-05	24,0 V	Direkt ström (DC)	49,50 W	23...25 V	25 V
TFP1000S-G1 -935-05	24,0 V	Direkt ström (DC)	49,50 W	23...25 V	25 V
TFP1000S-G1 -940-05	24,0 V	Direkt ström (DC)	49,50 W	23...25 V	25 V
TFP1500S-G1 -827-05	24,0 V	Direkt ström (DC)	66,00 W	23...25 V	25 V
TFP1500S-G1 -830-05	24,0 V	Direkt ström (DC)	66,00 W	23...25 V	25 V
TFP1500S-G1 -840-05	24,0 V	Direkt ström (DC)	66,00 W	23...25 V	25 V

Datablad produktfamilj

Produktbeskrivning	Nominell märkspänning	Strömtyp	Märkeffekt	Inspänningso mråde	Accidental reverse input voltage protection up to
TFP1500S-G1 -865-05	24,0 V	Direkt ström (DC)	66,00 W	23...25 V	25 V
TFP1500S-G1 -850-05	24,0 V	Direkt ström (DC)	66,00 W	23...25 V	25 V
TFP1500S-G1 -927-05	24,0 V	Direkt ström (DC)	72,00 W	23...25 V	25 V
TFP1500S-G1 -930-05	24,0 V	Direkt ström (DC)	72,00 W	23...25 V	25 V
TFP1500S-G1 -935-05	24,0 V	Direkt ström (DC)	72,00 W	23...25 V	25 V
TFP1500S-G1 -940-05	24,0 V	Direkt ström (DC)	72,00 W	23...25 V	25 V
TFP2000S-G1 -827-05	24,0 V	Direkt ström (DC)	77,50 W	23...25 V	25 V
TFP2000S-G1 -830-05	24,0 V	Direkt ström (DC)	77,50 W	23...25 V	25 V
TFP2000S-G1 -840-05	24,0 V	Direkt ström (DC)	77,50 W	23...25 V	25 V
TFP2000S-G1 -865-05	24,0 V	Direkt ström (DC)	77,50 W	23...25 V	25 V
TFP2000S-G1 -850-05	24,0 V	Direkt ström (DC)	77,50 W	23...25 V	25 V
TFP2000S-G1 -927-04	24,0 V	Direkt ström (DC)	69,20 W	23...25 V	25 V
TFP2000S-G1 -930-04	24,0 V	Direkt ström (DC)	69,20 W	23...25 V	25 V
TFP2000S-G1 -935-04	24,0 V	Direkt ström (DC)	69,20 W	23...25 V	25 V
TFP2000S-G1 -940-04	24,0 V	Direkt ström (DC)	69,20 W	23...25 V	25 V

Fotometrisk data

Produktbeskrivning	Ljusfärg LED	Färgåtergivning index Ra	Ljusutbyte	Ljusfärg (angiven)
TFP600S-G1 -827-05	vit	80	109,1 lm/W	Vit
TFP600S-G1 -830-05	vit	80	116,4 lm/W	Vit
TFP600S-G1 -840-05	vit	80	116,4 lm/W	Vit
TFP600S-G1 -865-05	vit	80	118,2 lm/W	Vit
TFP600S-G1 -850-05	vit	80	120 lm/W	Vit
TFP600S-G1 -927-05	vit	90	94,1 lm/W	2700 K
TFP600S-G1 -930-05	vit	90	100 lm/W	3000 K
TFP600S-G1 -935-05	vit	90	100 lm/W	3500 K
TFP600S-G1 -940-05	vit	90	101,7 lm/W	4000 K
TFP1000S-G1 -827-05	vit	80	114,4 lm/W	Vit

Datablad produktfamilj

Produktbeskrivning	Ljutfärg LED	Färgåtergivningsindex Ra	Ljusutbyte	Ljutfärg (angiven)
TFP1000S-G1 -830-05	vit	80	123,3 lm/W	Vit
TFP1000S-G1 -840-05	vit	80	120 lm/W	Vit
TFP1000S-G1 -865-05	vit	80	124,4 lm/W	Vit
TFP1000S-G1 -850-05	vit	80	125,6 lm/W	Vit
TFP1000S-G1 -927-05	vit	90	98 lm/W	2700 K
TFP1000S-G1 -930-05	vit	90	104,5 lm/W	3000 K
TFP1000S-G1 -935-05	vit	90	105,1 lm/W	3500 K
TFP1000S-G1 -940-05	vit	90	105,6 lm/W	4000 K
TFP1500S-G1 -827-05	vit	80	115,9 lm/W	Vit
TFP1500S-G1 -830-05	vit	80	122,7 lm/W	Vit
TFP1500S-G1 -840-05	vit	80	123,5 lm/W	Vit
TFP1500S-G1 -865-05	vit	80	125,8 lm/W	Vit
TFP1500S-G1 -850-05	vit	80	126,5 lm/W	Vit
TFP1500S-G1 -927-05	vit	90	97,6 lm/W	2700 K
TFP1500S-G1 -930-05	vit	90	103,1 lm/W	3000 K
TFP1500S-G1 -935-05	vit	90	104,2 lm/W	3500 K
TFP1500S-G1 -940-05	vit	90	104,9 lm/W	4000 K
TFP2000S-G1 -827-05	vit	80	190 lm/W	Vit
TFP2000S-G1 -830-05	vit	80	123,2 lm/W	Vit
TFP2000S-G1 -840-05	vit	80	123,9 lm/W	Vit
TFP2000S-G1 -865-05	vit	80	125,2 lm/W	Vit
TFP2000S-G1 -850-05	vit	80	126,5 lm/W	Vit
TFP2000S-G1 -927-04	vit	90	96,5 lm/W	2700 K
TFP2000S-G1 -930-04	vit	90	104 lm/W	3000 K
TFP2000S-G1 -935-04	vit	90	104,3 lm/W	3500 K
TFP2000S-G1 -940-04	vit	90	105,2 lm/W	4000 K

Mått


Produktbeskrivning	Längd	produktvikt
TFP600S-G1 -827-05	5000,0 mm	278,00 g
TFP600S-G1 -830-05	5000,0 mm	278,00 g
TFP600S-G1 -840-05	5000,0 mm	278,00 g
TFP600S-G1 -865-05	5000,0 mm	278,00 g
TFP600S-G1 -850-05	5000,0 mm	278,00 g
TFP600S-G1 -927-05	5020,0 mm	278,00 g
TFP600S-G1 -930-05	5020,0 mm	278,00 g
TFP600S-G1 -935-05	5020,0 mm	278,00 g
TFP600S-G1 -940-05	5020,0 mm	278,00 g
TFP1000S-G1 -827-05	5000,0 mm	278,00 g
TFP1000S-G1 -830-05	5000,0 mm	278,00 g
TFP1000S-G1 -840-05	5000,0 mm	278,00 g
TFP1000S-G1 -865-05	5000,0 mm	278,00 g
TFP1000S-G1 -850-05	5000,0 mm	278,00 g

Datablad produktfamilj

Produktbeskrivning	Längd	produktvikt
TFP1000S-G1 -927-05	5020,0 mm	278,00 g
TFP1000S-G1 -930-05	5020,0 mm	278,00 g
TFP1000S-G1 -935-05	5020,0 mm	278,00 g
TFP1000S-G1 -940-05	5020,0 mm	278,00 g
TFP1500S-G1 -827-05	5000,0 mm	278,00 g
TFP1500S-G1 -830-05	5000,0 mm	278,00 g
TFP1500S-G1 -840-05	5000,0 mm	278,00 g
TFP1500S-G1 -865-05	5000,0 mm	278,00 g
TFP1500S-G1 -850-05	5000,0 mm	278,00 g
TFP1500S-G1 -927-05	5020,0 mm	278,00 g
TFP1500S-G1 -930-05	5020,0 mm	278,00 g
TFP1500S-G1 -935-05	5020,0 mm	278,00 g
TFP1500S-G1 -940-05	5020,0 mm	278,00 g
TFP2000S-G1 -827-05	5000,0 mm	278,00 g
TFP2000S-G1 -830-05	5000,0 mm	278,00 g
TFP2000S-G1 -840-05	5000,0 mm	278,00 g
TFP2000S-G1 -865-05	5000,0 mm	278,00 g
TFP2000S-G1 -850-05	5000,0 mm	278,00 g
TFP2000S-G1 -927-04	4020,0 mm	227,00 g
TFP2000S-G1 -930-04	4020,0 mm	227,00 g
TFP2000S-G1 -935-04	4020,0 mm	227,00 g
TFP2000S-G1 -940-04	4020,0 mm	227,00 g

Datablad produktfamilj

Produktskiss med nummer



TFP2000S-G1 -927-04, TFP2000S-G1 -930-04, TFP2000S-G1 -935-04, TFP2000S-G1 -940-04

Temperaturer och driftsförhållanden

Produktbeskrivning	Temperaturområde vid Tc punkten	Förvaringstemperatur
TFP600S-G1 -827-05	-25...80 °C	-30...85 °C
TFP600S-G1 -830-05	-25...80 °C	-30...85 °C
TFP600S-G1 -840-05	-25...80 °C	-30...85 °C
TFP600S-G1 -865-05	-25...80 °C	-30...85 °C
TFP600S-G1 -850-05	-25...80 °C	-30...85 °C
TFP600S-G1 -927-05	-25...80 °C	-30...85 °C
TFP600S-G1 -930-05	-25...80 °C	-30...85 °C
TFP600S-G1 -935-05	-25...80 °C	-30...85 °C
TFP600S-G1 -940-05	-25...80 °C	-30...85 °C
TFP1000S-G1 -827-05	-25...80 °C	-30...85 °C
TFP1000S-G1 -830-05	-25...80 °C	-30...85 °C
TFP1000S-G1 -840-05	-25...80 °C	-30...85 °C
TFP1000S-G1 -865-05	-25...80 °C	-30...85 °C
TFP1000S-G1 -850-05	-25...80 °C	-30...85 °C
TFP1000S-G1 -927-05	-25...80 °C	-30...85 °C
TFP1000S-G1 -930-05	-25...80 °C	-30...85 °C
TFP1000S-G1 -935-05	-25...80 °C	-30...85 °C
TFP1000S-G1 -940-05	-25...80 °C	-30...85 °C

Datablad produktfamilj

Produktbeskrivning	Temperaturområde vid Tc punkten	Förvaringstemperatur
TFP1500S-G1 -827-05	-25...80 °C	-30...85 °C
TFP1500S-G1 -830-05	-25...80 °C	-30...85 °C
TFP1500S-G1 -840-05	-25...80 °C	-30...85 °C
TFP1500S-G1 -865-05	-25...80 °C	-30...85 °C
TFP1500S-G1 -850-05	-25...80 °C	-30...85 °C
TFP1500S-G1 -927-05	-25...80 °C	-30...85 °C
TFP1500S-G1 -930-05	-25...80 °C	-30...85 °C
TFP1500S-G1 -935-05	-25...80 °C	-30...85 °C
TFP1500S-G1 -940-05	-25...80 °C	-30...85 °C
TFP2000S-G1 -827-05	-25...80 °C	-30...85 °C
TFP2000S-G1 -830-05	-25...80 °C	-30...85 °C
TFP2000S-G1 -840-05	-25...80 °C	-30...85 °C
TFP2000S-G1 -865-05	-25...80 °C	-30...85 °C
TFP2000S-G1 -850-05	-25...80 °C	-30...85 °C
TFP2000S-G1 -927-04	-25...80 °C	-30...85 °C
TFP2000S-G1 -930-04	-25...80 °C	-30...85 °C
TFP2000S-G1 -935-04	-25...80 °C	-30...85 °C
TFP2000S-G1 -940-04	-25...80 °C	-30...85 °C

Tillägg produktdata

Produktbeskrivning	Produkten ersätts av EAN	ID of contained light source [AGGR]
TFP600S-G1 -827-05	4062172090940	LS_SHZ_600349
TFP600S-G1 -830-05	4062172090988	LS_SHZ_600350
TFP600S-G1 -840-05	4062172091008	LS_SHZ_600351
TFP600S-G1 -865-05	4062172091060	LS_SHZ_600353
TFP600S-G1 -850-05	4062172091046	LS_SHZ_600352
TFP600S-G1 -927-05		LS_SHZ_601069
TFP600S-G1 -930-05		LS_SHZ_601070
TFP600S-G1 -935-05		LS_SHZ_601071
TFP600S-G1 -940-05		LS_SHZ_601072
TFP1000S-G1 -827-05	4062172091084	LS_SHZ_600354
TFP1000S-G1 -830-05	4062172091107	LS_SHZ_600355
TFP1000S-G1 -840-05	4062172091121	LS_SHZ_600367
TFP1000S-G1 -865-05	4062172091169	LS_SHZ_600357
TFP1000S-G1 -850-05	4062172091145	LS_SHZ_600356
TFP1000S-G1 -927-05		LS_SHZ_601073
TFP1000S-G1 -930-05		LS_SHZ_601074
TFP1000S-G1 -935-05		LS_SHZ_601075
TFP1000S-G1 -940-05		LS_SHZ_601076
TFP1500S-G1 -827-05	4062172091183	LS_SHZ_600358
TFP1500S-G1 -830-05	4062172091220	LS_SHZ_600359
TFP1500S-G1 -840-05	4062172091343	LS_SHZ_600360
TFP1500S-G1 -865-05	4062172091381	LS_SHZ_600362

Datablad produktfamilj

Produktbeskrivning	Produkten ersätts av EAN	ID of contained light source [AGGR]
TFP1500S-G1 -850-05	4062172091367	LS_SHZ_600361
TFP1500S-G1 -927-05		LS_SHZ_601077
TFP1500S-G1 -930-05		LS_SHZ_601078
TFP1500S-G1 -935-05		LS_SHZ_601079
TFP1500S-G1 -940-05		LS_SHZ_601080
TFP2000S-G1 -827-05	4062172091404	LS_SHZ_600300
TFP2000S-G1 -830-05	4062172091428	LS_SHZ_600363
TFP2000S-G1 -840-05	4062172091466	LS_SHZ_600364
TFP2000S-G1 -865-05	4062172091527	LS_SHZ_600366
TFP2000S-G1 -850-05	4062172091480	LS_SHZ_600365
TFP2000S-G1 -927-04		LS_SHZ_601081
TFP2000S-G1 -930-04		LS_SHZ_601082
TFP2000S-G1 -935-04		LS_SHZ_601083
TFP2000S-G1 -940-04		LS_SHZ_601084

Certifikat och Standarder

Produktbeskrivning	Standarder	Energy efficiency class of the contained light source
TFP600S-G1 -827-05	CE/ENEC/EAC	F
TFP600S-G1 -830-05	CE/ENEC/EAC	F
TFP600S-G1 -840-05	CE/ENEC/EAC	F
TFP600S-G1 -865-05	CE/ENEC/EAC	F
TFP600S-G1 -850-05	CE/ENEC/EAC	F
TFP600S-G1 -927-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP600S-G1 -930-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP600S-G1 -935-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP600S-G1 -940-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP1000S-G1 -827-05	CE/ENEC/EAC	F
TFP1000S-G1 -830-05	CE/ENEC/EAC	E
TFP1000S-G1 -840-05	CE/ENEC/EAC	E
TFP1000S-G1 -865-05	CE/ENEC/EAC	E
TFP1000S-G1 -850-05	CE/ENEC/EAC	E
TFP1000S-G1 -927-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP1000S-G1 -930-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP1000S-G1 -935-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP1000S-G1 -940-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP1500S-G1 -827-05	CE/ENEC/EAC	F
TFP1500S-G1 -830-05	CE/ENEC/EAC	E

Datablad produktfamilj

Produktbeskrivning	Standarder	Energy efficiency class of the contained light source
TFP1500S-G1 -840-05	CE/ENEC/EAC	E
TFP1500S-G1 -865-05	CE/ENEC/EAC	E
TFP1500S-G1 -850-05	CE/ENEC/EAC	E
TFP1500S-G1 -927-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP1500S-G1 -930-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP1500S-G1 -935-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP1500S-G1 -940-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP2000S-G1 -827-05	CE/ENEC/EAC	F
TFP2000S-G1 -830-05	CE/ENEC/EAC	E
TFP2000S-G1 -840-05	CE/ENEC/EAC	E
TFP2000S-G1 -865-05	CE/ENEC/EAC	E
TFP2000S-G1 -850-05	CE/ENEC/EAC	E
TFP2000S-G1 -927-04	CE/ENEC/EAC/SASO 2927:2019	F
TFP2000S-G1 -930-04	CE/ENEC/EAC/SASO 2927:2019	F
TFP2000S-G1 -935-04	CE/ENEC/EAC/SASO 2927:2019	F
TFP2000S-G1 -940-04	CE/ENEC/EAC/SASO 2927:2019	F

Logistikdata

Produktbeskrivning	Statistiskt varunummer
TFP600S-G1 -827-05	853951000000
TFP600S-G1 -830-05	853951000000
TFP600S-G1 -840-05	853951000000
TFP600S-G1 -865-05	853951000000
TFP600S-G1 -850-05	853951000000
TFP600S-G1 -927-05	853951000000
TFP600S-G1 -930-05	853951000000
TFP600S-G1 -935-05	853951000000
TFP600S-G1 -940-05	853951000000
TFP1000S-G1 -827-05	853951000000
TFP1000S-G1 -830-05	853951000000
TFP1000S-G1 -840-05	853951000000
TFP1000S-G1 -865-05	853951000000
TFP1000S-G1 -850-05	853951000000
TFP1000S-G1 -927-05	853951000000
TFP1000S-G1 -930-05	853951000000
TFP1000S-G1 -935-05	853951000000
TFP1000S-G1 -940-05	853951000000
TFP1500S-G1 -827-05	853951000000

Datablad produktfamilj

Produktbeskrivning	Statistiskt varunummer
TFP1500S-G1 -830-05	853951000000
TFP1500S-G1 -840-05	853951000000
TFP1500S-G1 -865-05	853951000000
TFP1500S-G1 -850-05	853951000000
TFP1500S-G1 -927-05	853951000000
TFP1500S-G1 -930-05	853951000000
TFP1500S-G1 -935-05	853951000000
TFP1500S-G1 -940-05	853951000000
TFP2000S-G1 -827-05	853951000000
TFP2000S-G1 -830-05	853951000000
TFP2000S-G1 -840-05	853951000000
TFP2000S-G1 -865-05	853951000000
TFP2000S-G1 -850-05	853951000000
TFP2000S-G1 -927-04	853951000000
TFP2000S-G1 -930-04	853951000000
TFP2000S-G1 -935-04	853951000000
TFP2000S-G1 -940-04	853951000000

Environmental information

Produktbeskrivning	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
TFP600S-G1 -827-05	17-02-2023	4062172134279	Lead
TFP600S-G1 -830-05	19-05-2023	4062172134293	No declarable substances contained
TFP600S-G1 -840-05	17-02-2023	4062172134316	Lead
TFP600S-G1 -865-05	17-02-2023	4062172134354	Lead
TFP600S-G1 -850-05	17-02-2023	4062172134330	Lead
TFP600S-G1 -927-05	11-01-2023	4062172251075	No declarable substances contained
TFP600S-G1 -930-05	17-02-2023	4062172251136	Lead
TFP600S-G1 -935-05	17-02-2023	4062172251181	Lead
TFP600S-G1 -940-05	11-01-2023	4062172251204	No declarable substances contained
TFP1000S-G1 -827-05	11-01-2023	4062172134378	No declarable substances contained
TFP1000S-G1 -830-05	17-02-2023	4062172134392	Lead
TFP1000S-G1 -840-05	11-01-2023	4062172134415	No declarable substances contained
TFP1000S-G1 -865-05	16-01-2023	4062172134453	No declarable substances contained
TFP1000S-G1 -850-05	11-01-2023	4062172134439	No declarable substances contained
TFP1000S-G1 -927-05	11-01-2023	4062172251228	No declarable substances contained
TFP1000S-G1 -930-05	11-01-2023	4062172251242	No declarable substances contained

Datablad produktfamilj

Produktbeskrivning	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
TFP1000S-G1 -935-05	11-01-2023	4062172251266	No declarable substances contained
TFP1000S-G1 -940-05	11-01-2023	4062172251280	No declarable substances contained
TFP1500S-G1 -827-05	11-01-2023	4062172134477	No declarable substances contained
TFP1500S-G1 -830-05	17-02-2023	4062172134491	Lead
TFP1500S-G1 -840-05	11-01-2023	4062172134514	No declarable substances contained
TFP1500S-G1 -865-05	17-02-2023	4062172134552	Lead
TFP1500S-G1 -850-05	11-01-2023	4062172134538	No declarable substances contained
TFP1500S-G1 -927-05	11-01-2023	4062172251303	No declarable substances contained
TFP1500S-G1 -930-05	11-01-2023	4062172251327	No declarable substances contained
TFP1500S-G1 -935-05	11-01-2023	4062172251341	No declarable substances contained
TFP1500S-G1 -940-05	11-01-2023	4062172251389	No declarable substances contained
TFP2000S-G1 -827-05	11-01-2023	4062172134576	No declarable substances contained
TFP2000S-G1 -830-05	11-01-2023	4062172134590	No declarable substances contained
TFP2000S-G1 -840-05	17-02-2023	4062172134613	Lead
TFP2000S-G1 -865-05	17-02-2023	4062172134651	Lead
TFP2000S-G1 -850-05	11-01-2023	4062172134637	No declarable substances contained
TFP2000S-G1 -927-04	17-02-2023	4062172268684	Lead
TFP2000S-G1 -930-04	11-01-2023	4062172268707	No declarable substances contained
TFP2000S-G1 -935-04	11-01-2023	4062172268721	No declarable substances contained
TFP2000S-G1 -940-04	11-01-2023	4062172268745	No declarable substances contained
Produktbeskrivning	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
TFP600S-G1 -827-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	8206be34-edc2-4b83-9455-92bd2d0519da
TFP600S-G1 -830-05			No declarable substances contained
TFP600S-G1 -840-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	cf67fde5-ee9a-4aff-b88f-2ea5ea16e925

Datablad produktfamilj

Produktbeskrivning	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
TFP600S-G1 -865-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	e8d7de00-a071-4432-b064-74543ab99f9b
TFP600S-G1 -850-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	1e43966d-4682-4ddc-b32b-bfa56b1053f5
TFP600S-G1 -927-05			No declarable substances contained
TFP600S-G1 -930-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	c9d457a8-6225-4759-bc72-4ef45efe8556
TFP600S-G1 -935-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	af7046d6-2335-40d1-ad6e-c22cff0db1e3
TFP600S-G1 -940-05			No declarable substances contained
TFP1000S-G1 -827-05			No declarable substances contained
TFP1000S-G1 -830-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	264f66ca-973c-48c1-a314-ace2161efcb1
TFP1000S-G1 -840-05			No declarable substances contained
TFP1000S-G1 -865-05			No declarable substances contained
TFP1000S-G1 -850-05			No declarable substances contained
TFP1000S-G1 -927-05			No declarable substances contained
TFP1000S-G1 -930-05			No declarable substances contained
TFP1000S-G1 -935-05			No declarable substances contained
TFP1000S-G1 -940-05			No declarable substances contained
TFP1500S-G1 -827-05			No declarable substances contained
TFP1500S-G1 -830-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	81538319-4fe2-43a7-af03-e69dea21e01f
TFP1500S-G1 -840-05			No declarable substances contained
TFP1500S-G1 -865-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	c7d1ae7d-803a-49cd-a79a-0619eca79b6f

Datablad produktfamilj

Produktbeskrivning	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
TFP1500S-G1 -850-05			No declarable substances contained
TFP1500S-G1 -927-05			No declarable substances contained
TFP1500S-G1 -930-05			No declarable substances contained
TFP1500S-G1 -935-05			No declarable substances contained
TFP1500S-G1 -940-05			No declarable substances contained
TFP2000S-G1 -827-05			No declarable substances contained
TFP2000S-G1 -830-05			No declarable substances contained
TFP2000S-G1 -840-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	364870f3-7f5a-47ed-ad0b-460099c7587a
TFP2000S-G1 -865-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	26e8406a-6a6a-4e89-b1bc-60c7dfac08a3
TFP2000S-G1 -850-05			No declarable substances contained
TFP2000S-G1 -927-04	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	bba5e2f1-0e00-47e7-a699-219f773c7254
TFP2000S-G1 -930-04			No declarable substances contained
TFP2000S-G1 -935-04			No declarable substances contained
TFP2000S-G1 -940-04			No declarable substances contained

Teknisk utrustning

– Förenklad anslutning med matchande tillvals CONNECTsystem

Applikationsråd




















För mer detaljerad applikationsinformation och grafik, vänligen se produktdatablad

Försäljning och teknisk support













Försäljning och teknisk support www.osram.se

Datablad produktfamilj



Download

Dokument	
	User instruction TEC Flex IP66
	Product Datasheet TEC Flex Shortpitch IP66 Product Datasheet (EN)
	Broschyrer Light is strong - Discover the versatile and flexible lighting system OSRAM 24V TEC Flex (EN)
	Certifikat TFX ENEC 130520
	Konformitetsdeklaration TECFlex CE 4210017 300420
	CAD-data DWG TEC Flex and TEC Flex Shortpitch
	Eulumdat TFP600S G1 827 LDT 291121
	Eulumdat TFP600S-G1-827 LTD 130122
	IES data TFP600S G1 827 IES 291121
	IES data TFP600S-G1-827 IES 130122
	Eulumdat TFP600S G1 830 LDT 291121
	Eulumdat TFP600S-G1-830 LTD 130122
	IES data TFP600S G1 830 IES 291121
	IES data TFP600S-G1-830 IES 130122
	Eulumdat TFP600S G1 840 LDT 291121
	Eulumdat TFP600S-G1-840 LTD 130122
	IES data TFP600S G1 840 IES 291121
	IES data TFP600S-G1-840 IES 130122
	Eulumdat TFP600S G1 865 LDT 291121
	Eulumdat TFP600S-G1-865 LTD 130122
	IES data TFP600S G1 865 IES 291121














Datablad produktfamilj

	IES data TFP600S-G1-865 IES 130122
	Eulumdat TFP600S G1 850 LDT 291121
	Eulumdat TFP600S-G1-850 LTD 130122
	IES data TFP600S G1 850 IES 291121
	IES data TFP600S-G1-850 IES 130122
	Eulumdat TFP600S-G1-927 LTD 130122
	IES data TFP600S-G1-927 IES 130122
	Eulumdat TFP600S-G1-930 LTD 130122
	IES data TFP600S-G1-930 IES 130122
	Eulumdat TFP600S-G1-935 LTD 130122
	IES data TFP600S-G1-935 IES 130122
	Eulumdat TFP600S-G1-940 LTD 130122
	IES data TFP600S-G1-940 IES 130122
	Eulumdat TFP1000S G1 827 LDT 291121
	Eulumdat TFP1000S-G1-827 LTD 130122
	IES data TFP1000S G1 827 IES 291121
	IES data TFP1000S-G1-827 IES 130122
	Eulumdat TFP1000S G1 830 LDT 291121
	Eulumdat TFP1000S-G1-830 LTD 130122
	IES data TFP1000S G1 830 IES 291121
	IES data TFP1000S-G1-830 IES 130122
	Eulumdat TFP1000S G1 840 LDT 291121
	Eulumdat TFP1000S-G1-840 LTD 130122









Datablad produktfamilj

	IES data TFP1000S G1 840 IES 291121
	IES data TFP1000S-G1-840 IES 130122
	Eulumdat TFP1000S G1 865 LDT 291121
	Eulumdat TFP1000S-G1-865 LTD 130122
	IES data TFP1000S G1 865 IES 291121
	IES data TFP1000S-G1-865 IES 130122
	Eulumdat TFP1000S G1 850 LDT 291121
	Eulumdat TFP1000S-G1-850 LTD 130122
	IES data TFP1000S G1 850 IES 291121
	IES data TFP1000S-G1-850 IES 130122
	Eulumdat TFP1000S-G1-927 LTD 130122
	IES data TFP1000S-G1-927 IES 130122
	Eulumdat TFP1000S-G1-930 LTD 130122
	IES data TFP1000S-G1-930 IES 130122
	Eulumdat TFP1000S-G1-935 LTD 130122
	IES data TFP1000S-G1-935 IES 130122
	Eulumdat TFP1000S-G1-940 LTD 130122
	IES data TFP1000S-G1-940 IES 130122
	Eulumdat TFP1500S G1 827 LDT 291121
	Eulumdat TFP1500S-G1-827 LTD 130122
	IES data TFP1500S G1 827 IES 291121
	IES data TFP1500S-G1-827 IES 130122
	Eulumdat TFP1500S G1 830 LDT 291121

Datablad produktfamilj

	Eulumdat TFP1500S-G1-830 LTD 130122
	IES data TFP1500S G1 830 IES 291121
	IES data TFP1500S-G1-830 IES 130122
	Eulumdat TFP1500S G1 840 LDT 291121
	Eulumdat TFP1500S-G1-840 LTD 130122
	IES data TFP1500S G1 840 IES 291121
	IES data TFP1500S-G1-840 IES 130122
	Eulumdat TFP1500S G1 865 LDT 291121
	Eulumdat TFP1500S-G1-865 LTD 130122
	IES data TFP1500S G1 865 IES 291121
	IES data TFP1500S-G1-865 IES 130122
	Eulumdat TFP1500S G1 850 LDT 291121
	Eulumdat TFP1500S-G1-850 LTD 130122
	IES data TFP1500S G1 850 IES 291121
	IES data TFP1500S-G1-850 IES 130122
	Eulumdat TFP1500S-G1-927 LTD 130122
	IES data TFP1500S-G1-927 IES 130122
	Eulumdat TFP1500S-G1-930 LTD 130122
	IES data TFP1500S-G1-930 IES 130122
	Eulumdat TFP1500S-G1-935 LTD 130122
	IES data TFP1500S-G1-935 IES 130122
	Eulumdat TFP1500S-G1-940 LTD 130122
	IES data TFP1500S-G1-940 IES 130122

Datablad produktfamilj

	Eulumdat TFP2000S G1 827 LDT 291121
	Eulumdat TFP2000S-G1-827 LTD 130122
	IES data TFP2000S G1 827 IES 291121
	IES data TFP2000S-G1-827 IES 130122
	Eulumdat TFP2000S G1 830 LDT 2911121
	Eulumdat TFP2000S-G1-830 LTD 130122
	IES data TFP2000S G1 830 IES 291121
	IES data TFP2000S-G1-830 IES 130122
	Eulumdat TFP2000S G1 840 LDT 291121
	Eulumdat TFP2000S-G1-840 LTD 130122
	IES data TFP2000S G1 840 IES 291121
	IES data TFP2000S-G1-840 IES 130122
	Eulumdat TFP2000S G1 865 LDT 291121
	Eulumdat TFP2000S-G1-865 LTD 130122
	IES data TFP2000S G1 865 IES 291121
	IES data TFP2000S-G1-865 IES 130122
	Eulumdat TFP2000S G1 850 LDT 291121
	Eulumdat TFP2000S-G1-850 LTD 130122
	IES data TFP2000S G1 850 IES 291121
	IES data TFP2000S-G1-850 IES 130122
	Eulumdat TFP2000S-G1-927 LTD 130122
	IES data TFP2000S-G1-927 IES 130122
	Eulumdat TFP2000S-G1-930 LTD 130122

Datablad produktfamilj

	IES data TFP2000S-G1-930 IES 130122
	Eulumdat TFP2000S-G1-935 LTD 130122
	IES data TFP2000S-G1-935 IES 130122
	Eulumdat TFP2000S-G1-940 LTD 130122
	IES data TFP2000S-G1-940 IES 130122

Logistiska data

Produktnummer	Produktbeskrivning	Förpackningsenhet (Styck/Enhet)	Dimensioner (längd x bredd x höjd)	Volym	Bruttovikt
4062172134279	TFP600S-G1 -827-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172134293	TFP600S-G1 -830-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172134316	TFP600S-G1 -840-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172134354	TFP600S-G1 -865-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172134330	TFP600S-G1 -850-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172251075	TFP600S-G1 -927-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172251136	TFP600S-G1 -930-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172251181	TFP600S-G1 -935-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172251204	TFP600S-G1 -940-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172134378	TFP1000S-G1 -827-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172134392	TFP1000S-G1 -830-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172134415	TFP1000S-G1 -840-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172134453	TFP1000S-G1 -865-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172134439	TFP1000S-G1 -850-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g

Datablad produktfamilj

Logistiska data

4062172251228	TFP1000S-G1 -927-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172251242	TFP1000S-G1 -930-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172251266	TFP1000S-G1 -935-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172251280	TFP1000S-G1 -940-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172134477	TFP1500S-G1 -827-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172134491	TFP1500S-G1 -830-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172134514	TFP1500S-G1 -840-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172134552	TFP1500S-G1 -865-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172134538	TFP1500S-G1 -850-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172251303	TFP1500S-G1 -927-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172251327	TFP1500S-G1 -930-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172251341	TFP1500S-G1 -935-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172251389	TFP1500S-G1 -940-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172134576	TFP2000S-G1 -827-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172134590	TFP2000S-G1 -830-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172134613	TFP2000S-G1 -840-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172134651	TFP2000S-G1 -865-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172134637	TFP2000S-G1 -850-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3754.00 g
4062172268684	TFP2000S-G1 -927-04	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3244.00 g
4062172268707	TFP2000S-G1 -930-04	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3244.00 g
4062172268721	TFP2000S-G1 -935-04	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3244.00 g

Datablad produktfamilj

Logistiska data

4062172268745	TFP2000S-G1 -940-04	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm ³	3244.00 g
---------------	---------------------	----------------------------	--------------------------	-----------------------	-----------

Produktkoden gäller minsta tillåtna beställningskvantitet. En transportförpackning kan innehålla en eller flera produkter. Vid orderläggning, vänligen ange en eller flera transportförpackningar.

Valfria tillbehör

Produktbeskrivning	Tillbehörets namn	Tillbehörets kod
TFP600S-G1 -827-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP600S-G1 -827-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP600S-G1 -827-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP600S-G1 -827-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP600S-G1 -827-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP600S-G1 -827-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP600S-G1 -827-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP600S-G1 -827-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP600S-G1 -827-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP600S-G1 -827-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP600S-G1 -827-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP600S-G1 -827-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP600S-G1 -827-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP600S-G1 -827-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP600S-G1 -830-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP600S-G1 -830-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP600S-G1 -830-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP600S-G1 -830-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP600S-G1 -830-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP600S-G1 -830-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP600S-G1 -830-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP600S-G1 -830-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP600S-G1 -830-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP600S-G1 -830-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP600S-G1 -830-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP600S-G1 -830-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP600S-G1 -830-05	FX-DCS -G1-GL-25	▶ 4052899452244

Datablad produktfamilj

TFP600S-G1 -830-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP600S-G1 -840-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP600S-G1 -840-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP600S-G1 -840-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP600S-G1 -840-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP600S-G1 -840-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP600S-G1 -840-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP600S-G1 -840-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP600S-G1 -840-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP600S-G1 -840-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP600S-G1 -840-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP600S-G1 -840-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP600S-G1 -840-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP600S-G1 -840-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP600S-G1 -840-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP600S-G1 -865-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP600S-G1 -865-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP600S-G1 -865-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP600S-G1 -865-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP600S-G1 -865-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP600S-G1 -865-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP600S-G1 -865-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP600S-G1 -865-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP600S-G1 -865-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP600S-G1 -865-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP600S-G1 -865-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP600S-G1 -865-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP600S-G1 -865-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP600S-G1 -865-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP600S-G1 -850-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP600S-G1 -850-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP600S-G1 -850-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP600S-G1 -850-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP600S-G1 -850-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP600S-G1 -850-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP600S-G1 -850-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP600S-G1 -850-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP600S-G1 -850-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964

Datablad produktfamilj

TFP600S-G1 -850-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP600S-G1 -850-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP600S-G1 -850-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP600S-G1 -850-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP600S-G1 -850-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP600S-G1 -927-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP600S-G1 -927-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP600S-G1 -927-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP600S-G1 -927-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP600S-G1 -927-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP600S-G1 -927-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP600S-G1 -927-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP600S-G1 -927-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP600S-G1 -927-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP600S-G1 -927-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP600S-G1 -927-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP600S-G1 -927-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP600S-G1 -927-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP600S-G1 -930-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP600S-G1 -930-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP600S-G1 -930-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP600S-G1 -930-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP600S-G1 -930-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP600S-G1 -930-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP600S-G1 -930-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP600S-G1 -930-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP600S-G1 -930-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP600S-G1 -930-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP600S-G1 -930-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP600S-G1 -930-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP600S-G1 -930-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP600S-G1 -935-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP600S-G1 -935-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP600S-G1 -935-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP600S-G1 -935-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP600S-G1 -935-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP600S-G1 -935-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP600S-G1 -935-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988

Datablad produktfamilj

TFP600S-G1 -935-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP600S-G1 -935-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP600S-G1 -935-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP600S-G1 -935-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP600S-G1 -935-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP600S-G1 -935-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP600S-G1 -940-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP600S-G1 -940-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP600S-G1 -940-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP600S-G1 -940-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP600S-G1 -940-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP600S-G1 -940-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP600S-G1 -940-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP600S-G1 -940-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP600S-G1 -940-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP600S-G1 -940-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP600S-G1 -940-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP600S-G1 -940-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP600S-G1 -940-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1000S-G1 -827-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1000S-G1 -827-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1000S-G1 -827-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1000S-G1 -827-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1000S-G1 -827-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1000S-G1 -827-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1000S-G1 -827-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1000S-G1 -827-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1000S-G1 -827-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1000S-G1 -827-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1000S-G1 -827-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP1000S-G1 -827-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1000S-G1 -827-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1000S-G1 -827-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1000S-G1 -830-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1000S-G1 -830-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1000S-G1 -830-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1000S-G1 -830-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1000S-G1 -830-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865

Datablad produktfamilj

TFP1000S-G1 -830-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1000S-G1 -830-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1000S-G1 -830-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1000S-G1 -830-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1000S-G1 -830-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1000S-G1 -830-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP1000S-G1 -830-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1000S-G1 -830-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1000S-G1 -830-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1000S-G1 -840-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1000S-G1 -840-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1000S-G1 -840-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1000S-G1 -840-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1000S-G1 -840-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1000S-G1 -840-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1000S-G1 -840-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1000S-G1 -840-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1000S-G1 -840-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1000S-G1 -840-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1000S-G1 -840-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP1000S-G1 -840-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1000S-G1 -840-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1000S-G1 -840-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1000S-G1 -865-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1000S-G1 -865-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1000S-G1 -865-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1000S-G1 -865-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1000S-G1 -865-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1000S-G1 -865-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1000S-G1 -865-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1000S-G1 -865-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1000S-G1 -865-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1000S-G1 -865-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1000S-G1 -865-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP1000S-G1 -865-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1000S-G1 -865-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1000S-G1 -865-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1000S-G1 -850-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552

Datablad produktfamilj

TFP1000S-G1 -850-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1000S-G1 -850-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1000S-G1 -850-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1000S-G1 -850-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1000S-G1 -850-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1000S-G1 -850-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1000S-G1 -850-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1000S-G1 -850-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1000S-G1 -850-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1000S-G1 -850-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP1000S-G1 -850-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1000S-G1 -850-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1000S-G1 -850-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1000S-G1 -927-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1000S-G1 -927-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1000S-G1 -927-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1000S-G1 -927-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1000S-G1 -927-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1000S-G1 -927-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1000S-G1 -927-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1000S-G1 -927-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1000S-G1 -927-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1000S-G1 -927-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1000S-G1 -927-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1000S-G1 -927-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1000S-G1 -927-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1000S-G1 -930-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1000S-G1 -930-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1000S-G1 -930-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1000S-G1 -930-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1000S-G1 -930-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1000S-G1 -930-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1000S-G1 -930-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1000S-G1 -930-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1000S-G1 -930-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1000S-G1 -930-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1000S-G1 -930-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1000S-G1 -930-05	FX-DCS -G1-GL-25	▶ 4052899452244

Datablad produktfamilj

TFP1000S-G1 -930-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1000S-G1 -935-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1000S-G1 -935-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1000S-G1 -935-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1000S-G1 -935-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1000S-G1 -935-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1000S-G1 -935-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1000S-G1 -935-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1000S-G1 -935-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1000S-G1 -935-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1000S-G1 -935-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1000S-G1 -935-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1000S-G1 -935-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1000S-G1 -935-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1000S-G1 -940-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1000S-G1 -940-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1000S-G1 -940-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1000S-G1 -940-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1000S-G1 -940-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1000S-G1 -940-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1000S-G1 -940-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1000S-G1 -940-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1000S-G1 -940-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1000S-G1 -940-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1000S-G1 -940-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1000S-G1 -940-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1000S-G1 -940-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1500S-G1 -827-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1500S-G1 -827-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1500S-G1 -827-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1500S-G1 -827-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1500S-G1 -827-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1500S-G1 -827-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1500S-G1 -827-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1500S-G1 -827-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1500S-G1 -827-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1500S-G1 -827-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1500S-G1 -827-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889

Datablad produktfamilj

TFP1500S-G1 -827-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1500S-G1 -827-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1500S-G1 -827-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1500S-G1 -830-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1500S-G1 -830-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1500S-G1 -830-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1500S-G1 -830-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1500S-G1 -830-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1500S-G1 -830-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1500S-G1 -830-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1500S-G1 -830-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1500S-G1 -830-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1500S-G1 -830-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1500S-G1 -830-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP1500S-G1 -830-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1500S-G1 -830-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1500S-G1 -830-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1500S-G1 -840-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1500S-G1 -840-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1500S-G1 -840-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1500S-G1 -840-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1500S-G1 -840-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1500S-G1 -840-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1500S-G1 -840-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1500S-G1 -840-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1500S-G1 -840-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1500S-G1 -840-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1500S-G1 -840-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP1500S-G1 -840-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1500S-G1 -840-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1500S-G1 -840-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1500S-G1 -865-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1500S-G1 -865-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1500S-G1 -865-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1500S-G1 -865-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1500S-G1 -865-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1500S-G1 -865-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1500S-G1 -865-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988

Datablad produktfamilj

TFP1500S-G1 -865-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1500S-G1 -865-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1500S-G1 -865-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1500S-G1 -865-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP1500S-G1 -865-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1500S-G1 -865-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1500S-G1 -865-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1500S-G1 -850-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1500S-G1 -850-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1500S-G1 -850-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1500S-G1 -850-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1500S-G1 -850-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1500S-G1 -850-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1500S-G1 -850-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1500S-G1 -850-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1500S-G1 -850-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1500S-G1 -850-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1500S-G1 -850-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP1500S-G1 -850-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1500S-G1 -850-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1500S-G1 -850-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1500S-G1 -927-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1500S-G1 -927-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1500S-G1 -927-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1500S-G1 -927-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1500S-G1 -927-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1500S-G1 -927-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1500S-G1 -927-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1500S-G1 -927-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1500S-G1 -927-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1500S-G1 -927-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1500S-G1 -927-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1500S-G1 -927-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1500S-G1 -927-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1500S-G1 -930-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1500S-G1 -930-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1500S-G1 -930-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1500S-G1 -930-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827

Datablad produktfamilj

TFP1500S-G1 -930-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1500S-G1 -930-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1500S-G1 -930-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1500S-G1 -930-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1500S-G1 -930-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1500S-G1 -930-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1500S-G1 -930-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1500S-G1 -930-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1500S-G1 -930-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1500S-G1 -935-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1500S-G1 -935-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1500S-G1 -935-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1500S-G1 -935-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1500S-G1 -935-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1500S-G1 -935-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1500S-G1 -935-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1500S-G1 -935-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1500S-G1 -935-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1500S-G1 -935-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1500S-G1 -935-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1500S-G1 -935-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1500S-G1 -935-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1500S-G1 -940-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1500S-G1 -940-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1500S-G1 -940-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1500S-G1 -940-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1500S-G1 -940-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1500S-G1 -940-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1500S-G1 -940-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1500S-G1 -940-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1500S-G1 -940-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1500S-G1 -940-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1500S-G1 -940-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1500S-G1 -940-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1500S-G1 -940-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP2000S-G1 -827-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP2000S-G1 -827-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP2000S-G1 -827-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667

Datablad produktfamilj

TFP2000S-G1 -827-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP2000S-G1 -827-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP2000S-G1 -827-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP2000S-G1 -827-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP2000S-G1 -827-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP2000S-G1 -827-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP2000S-G1 -827-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP2000S-G1 -827-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP2000S-G1 -827-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP2000S-G1 -827-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP2000S-G1 -827-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP2000S-G1 -830-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP2000S-G1 -830-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP2000S-G1 -830-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP2000S-G1 -830-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP2000S-G1 -830-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP2000S-G1 -830-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP2000S-G1 -830-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP2000S-G1 -830-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP2000S-G1 -830-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP2000S-G1 -830-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP2000S-G1 -830-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP2000S-G1 -830-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP2000S-G1 -830-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP2000S-G1 -830-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP2000S-G1 -840-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP2000S-G1 -840-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP2000S-G1 -840-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP2000S-G1 -840-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP2000S-G1 -840-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP2000S-G1 -840-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP2000S-G1 -840-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP2000S-G1 -840-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP2000S-G1 -840-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP2000S-G1 -840-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP2000S-G1 -840-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP2000S-G1 -840-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP2000S-G1 -840-05	FX-DCS -G1-GL-25	▶ 4052899452244

Datablad produktfamilj

TFP2000S-G1 -840-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP2000S-G1 -865-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP2000S-G1 -865-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP2000S-G1 -865-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP2000S-G1 -865-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP2000S-G1 -865-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP2000S-G1 -865-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP2000S-G1 -865-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP2000S-G1 -865-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP2000S-G1 -865-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP2000S-G1 -865-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP2000S-G1 -865-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP2000S-G1 -865-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP2000S-G1 -865-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP2000S-G1 -865-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP2000S-G1 -850-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP2000S-G1 -850-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP2000S-G1 -850-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP2000S-G1 -850-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP2000S-G1 -850-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP2000S-G1 -850-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP2000S-G1 -850-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP2000S-G1 -850-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP2000S-G1 -850-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP2000S-G1 -850-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP2000S-G1 -850-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP2000S-G1 -850-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP2000S-G1 -850-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP2000S-G1 -850-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP2000S-G1 -927-04	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP2000S-G1 -927-04	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP2000S-G1 -927-04	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP2000S-G1 -927-04	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP2000S-G1 -927-04	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP2000S-G1 -927-04	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP2000S-G1 -927-04	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP2000S-G1 -927-04	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP2000S-G1 -927-04	FX-QMS-G1 -TU16H12-300	▶ 4052899448964

Datablad produktfamilj

TFP2000S-G1 -927-04	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP2000S-G1 -927-04	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP2000S-G1 -927-04	FX-DCS -G1-GL-25	▶ 4052899452244
TFP2000S-G1 -927-04	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP2000S-G1 -930-04	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP2000S-G1 -930-04	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP2000S-G1 -930-04	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP2000S-G1 -930-04	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP2000S-G1 -930-04	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP2000S-G1 -930-04	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP2000S-G1 -930-04	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP2000S-G1 -930-04	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP2000S-G1 -930-04	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP2000S-G1 -930-04	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP2000S-G1 -930-04	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP2000S-G1 -930-04	FX-DCS -G1-GL-25	▶ 4052899452244
TFP2000S-G1 -930-04	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP2000S-G1 -935-04	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP2000S-G1 -935-04	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP2000S-G1 -935-04	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP2000S-G1 -935-04	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP2000S-G1 -935-04	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP2000S-G1 -935-04	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP2000S-G1 -935-04	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP2000S-G1 -935-04	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP2000S-G1 -935-04	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP2000S-G1 -935-04	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP2000S-G1 -935-04	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP2000S-G1 -935-04	FX-DCS -G1-GL-25	▶ 4052899452244
TFP2000S-G1 -935-04	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP2000S-G1 -940-04	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP2000S-G1 -940-04	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP2000S-G1 -940-04	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP2000S-G1 -940-04	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP2000S-G1 -940-04	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP2000S-G1 -940-04	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP2000S-G1 -940-04	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP2000S-G1 -940-04	FX-QMS-G1 -TR19H16-300	▶ 4052899449008

Datablad produktfamilj

TFP2000S-G1 -940-04	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP2000S-G1 -940-04	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP2000S-G1 -940-04	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP2000S-G1 -940-04	FX-DCS -G1-GL-25	▶ 4052899452244
TFP2000S-G1 -940-04	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046

Friskrivningsklausul

Kan ändras utan föregående notifiering. Felaktigheter och försummelse undantagna. Se alltid till att använda den senaste utgåvan.