


## TEC FLEX Low & High Power Protect

LED-moduler för semi-professionella program



### Produktegenskaper

- Flexibel klippbar LED list
- Available with color temperature: 2,700K, 3,000 K, 4,000 K
- Up to 50,000 hrs lifetime @ tc max
- Color consistency in 3 SDCM

### Produktfördelar

- Enkel montering på många släta ytor tack vare självhäftande tejp på baksidan



### Tekniska data

#### Elektriska data

Produktbeskrivning	Nominell märkspänning	Strömtyp	Märkeffekt	Inspänningso mråde	Accidental reverse input voltage protection up to
TFP300-G1 -827-05	24,0 V	Direkt ström (DC)	14,00 W	23...25 V	25 V
TFP300-G1 -830-05	24,0 V	Direkt ström (DC)	14,00 W	23...25 V	25 V
TFP300-G1 -840-05	24,0 V	Direkt ström (DC)	14,00 W	23...25 V	25 V
TFP300-G1 -865-05	24,0 V	Direkt ström (DC)	14,00 W	23...25 V	25 V
TFP300-G1 -850-05	24,0 V	Direkt ström (DC)	14,00 W	23...25 V	25 V
TFP1000-G1 -827-05	24,0 V	Direkt ström (DC)	47,50 W	23...25 V	25 V
TFP1000-G1 -830-05	24,0 V	Direkt ström (DC)	47,50 W	23...25 V	25 V
TFP1000-G1 -840-05	24,0 V	Direkt ström (DC)	47,50 W	23...25 V	25 V
TFP1000-G1 -865-05	24,0 V	Direkt ström (DC)	47,50 W	23...25 V	25 V
TFP1000-G1 -850-05	24,0 V	Direkt ström (DC)	47,50 W	23...25 V	25 V
TFP2000-G1 -827-05	24,0 V	Direkt ström (DC)	77,50 W	23...25 V	25 V
TFP2000-G1 -830-05	24,0 V	Direkt ström (DC)	77,50 W	23...25 V	25 V
TFP2000-G1 -840-05	24,0 V	Direkt ström (DC)	77,50 W	23...25 V	25 V
TFP2000-G1 -865-05	24,0 V	Direkt ström (DC)	77,50 W	23...25 V	25 V
TFP2000-G1 -850-05	24,0 V	Direkt ström (DC)	77,50 W	23...25 V	25 V

### Fotometrisk data

Produktbeskrivning	Ljutfärg LED	Färgåtergivningsindex Ra	Ljutfärg (angiven)
TFP300-G1 -827-05	vit	80	Vit
TFP300-G1 -830-05	vit	80	Vit
TFP300-G1 -840-05	vit	80	Vit
TFP300-G1 -865-05	vit	80	Vit
TFP300-G1 -850-05	vit	80	Vit
TFP1000-G1 -827-05	vit	80	Vit
TFP1000-G1 -830-05	vit	80	Vit
TFP1000-G1 -840-05	vit	80	Vit
TFP1000-G1 -865-05	vit	80	Vit
TFP1000-G1 -850-05	vit	80	Vit
TFP2000-G1 -827-05	vit	80	Vit
TFP2000-G1 -830-05	vit	80	Vit
TFP2000-G1 -840-05	vit	80	Vit
TFP2000-G1 -865-05	vit	80	Vit
TFP2000-G1 -850-05	vit	80	Vit

### Mått

Produktbeskrivning	Längd	produktvikt
TFP300-G1 -827-05	5000,0 mm	269,00 g
TFP300-G1 -830-05	5000,0 mm	269,00 g
TFP300-G1 -840-05	5000,0 mm	269,00 g
TFP300-G1 -865-05	5000,0 mm	269,00 g
TFP300-G1 -850-05	5000,0 mm	269,00 g
TFP1000-G1 -827-05	5000,0 mm	269,00 g
TFP1000-G1 -830-05	5000,0 mm	269,00 g
TFP1000-G1 -840-05	5000,0 mm	269,00 g
TFP1000-G1 -865-05	5000,0 mm	269,00 g
TFP1000-G1 -850-05	5000,0 mm	269,00 g
TFP2000-G1 -827-05	5000,0 mm	273,00 g
TFP2000-G1 -830-05	5000,0 mm	273,00 g
TFP2000-G1 -840-05	5000,0 mm	273,00 g
TFP2000-G1 -865-05	5000,0 mm	273,00 g
TFP2000-G1 -850-05	5000,0 mm	273,00 g

### Temperaturer och driftsförhållanden

Produktbeskrivning	Temperaturområde vid Tc punkten	Förvaringstemperatur
TFP300-G1 -827-05	-25...80 °C	-30...85 °C
TFP300-G1 -830-05	-25...80 °C	-30...85 °C
TFP300-G1 -840-05	-25...80 °C	-30...85 °C
TFP300-G1 -865-05	-25...80 °C	-30...85 °C
TFP300-G1 -850-05	-25...80 °C	-30...85 °C
TFP1000-G1 -827-05	-25...80 °C	-30...85 °C
TFP1000-G1 -830-05	-25...80 °C	-30...85 °C
TFP1000-G1 -840-05	-25...80 °C	-30...85 °C
TFP1000-G1 -865-05	-25...80 °C	-30...85 °C
TFP1000-G1 -850-05	-25...80 °C	-30...85 °C
TFP2000-G1 -827-05	-25...80 °C	-30...85 °C
TFP2000-G1 -830-05	-25...80 °C	-30...85 °C
TFP2000-G1 -840-05	-25...80 °C	-30...85 °C
TFP2000-G1 -865-05	-25...80 °C	-30...85 °C
TFP2000-G1 -850-05	-25...80 °C	-30...85 °C

### Tillägg produktdata

Produktbeskrivning	Produkten ersätts av EAN	ID of contained light source [AGGR]
TFP300-G1 -827-05	4052899528031, 4052899528116	LS_SHZ_600315
TFP300-G1 -830-05	4052899528055, 4052899528130	LS_SHZ_600316
TFP300-G1 -840-05	4052899528079, 4052899528154	LS_SHZ_600317
TFP300-G1 -865-05	4052899528093, 4052899528178	LS_SHZ_600319
TFP300-G1 -850-05		LS_SHZ_600318
TFP1000-G1 -827-05	4052899526211	LS_SHZ_600320
TFP1000-G1 -830-05	4052899526235	LS_SHZ_600321
TFP1000-G1 -840-05	4052899526259	LS_SHZ_600322
TFP1000-G1 -865-05	4052899526273	LS_SHZ_600324
TFP1000-G1 -850-05		LS_SHZ_600323
TFP2000-G1 -827-05	4052899528468	LS_SHZ_600298
TFP2000-G1 -830-05	4052899528482	LS_SHZ_600326
TFP2000-G1 -840-05	4052899528505	LS_SHZ_600327
TFP2000-G1 -865-05	4052899528529	LS_SHZ_600329
TFP2000-G1 -850-05		LS_SHZ_600328

### Certifikat och Standarder

Produktbeskrivning	Standarder	Energy efficiency class of the contained light source
TFP300-G1 -827-05	CE/ENEC/EAC	E
TFP300-G1 -830-05	CE/ENEC/EAC	E
TFP300-G1 -840-05	CE/ENEC/EAC	E
TFP300-G1 -865-05	CE/ENEC/EAC	E
TFP300-G1 -850-05	CE/ENEC/EAC	E
TFP1000-G1 -827-05	CE/ENEC/EAC	F
TFP1000-G1 -830-05	CE/ENEC/EAC	E
TFP1000-G1 -840-05	CE/ENEC/EAC	E
TFP1000-G1 -865-05	CE/ENEC/EAC	E
TFP1000-G1 -850-05	CE/ENEC/EAC	E
TFP2000-G1 -827-05	CE/ENEC/EAC	F
TFP2000-G1 -830-05	CE/ENEC/EAC	E
TFP2000-G1 -840-05	CE/ENEC/EAC	E
TFP2000-G1 -865-05	CE/ENEC/EAC	E
TFP2000-G1 -850-05	CE/ENEC/EAC	E

### Logistikdata

Produktbeskrivning	Statistiskt varunummer
TFP300-G1 -827-05	853951000000
TFP300-G1 -830-05	853951000000
TFP300-G1 -840-05	853951000000
TFP300-G1 -865-05	853951000000
TFP300-G1 -850-05	853951000000
TFP1000-G1 -827-05	853951000000
TFP1000-G1 -830-05	853951000000
TFP1000-G1 -840-05	853951000000
TFP1000-G1 -865-05	853951000000
TFP1000-G1 -850-05	853951000000
TFP2000-G1 -827-05	853951000000
TFP2000-G1 -830-05	853951000000
TFP2000-G1 -840-05	853951000000
TFP2000-G1 -865-05	853951000000
TFP2000-G1 -850-05	853951000000

**Environmental information**  
**Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)**

Produktbeskrivning	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
TFP300-G1 -827-05	19-05-2023	4062172106627	No declarable substances contained
TFP300-G1 -830-05	11-04-2023	4062172106641	Lead
TFP300-G1 -840-05	11-04-2023	4062172106665	No declarable substances contained
TFP300-G1 -865-05	11-04-2023	4062172106702	No declarable substances contained
TFP300-G1 -850-05	11-04-2023	4062172106689	No declarable substances contained
TFP1000-G1 -827-05	19-05-2023	4062172106726	No declarable substances contained
TFP1000-G1 -830-05	19-05-2023	4062172106740	No declarable substances contained
TFP1000-G1 -840-05	11-04-2023	4062172106764	Lead
TFP1000-G1 -865-05	11-04-2023	4062172106801	Lead
TFP1000-G1 -850-05	11-04-2023	4062172106788	Lead
TFP2000-G1 -827-05	11-04-2023	4062172106825	Lead
TFP2000-G1 -830-05	11-04-2023	4062172106849	Lead
TFP2000-G1 -840-05	11-04-2023	4062172106863	Lead
TFP2000-G1 -865-05	19-05-2023	4062172106900	No declarable substances contained
TFP2000-G1 -850-05	11-04-2023	4062172106887	Lead

Produktbeskrivning	Declaration No. in SCIP database	CAS No. of substance 1	Safe Use Instruction
TFP300-G1 -827-05	No declarable substances contained		
TFP300-G1 -830-05	41ae3b6f-d896-46ed-835c-509325d80567	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TFP300-G1 -840-05	No declarable substances contained		
TFP300-G1 -865-05	No declarable substances contained		
TFP300-G1 -850-05	No declarable substances contained		
TFP1000-G1 -827-05	No declarable substances contained		
TFP1000-G1 -830-05	No declarable substances contained		
TFP1000-G1 -840-05	4e5de256-30b6-4d1c-a183-c65029ce6c40	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

## Datablad produktfamilj

Produktbeskrivning	Declaration No. in SCIP database	CAS No. of substance 1	Safe Use Instruction
TFP1000-G1 -865-05	6fd58bf0-1f40-4739-9102-a2faf280c170	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TFP1000-G1 -850-05	023c5600-bfd5-4965-96c3-a387a674cc3f	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TFP2000-G1 -827-05	5ebe9fb9-394f-4b46-abbd-65edf0187c80	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TFP2000-G1 -830-05	f794bc3e-8f55-43ef-a5fa-fd521cb30071	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TFP2000-G1 -840-05	092e65b1-864f-4169-84d0-7c687e124d14	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TFP2000-G1 -865-05	No declarable substances contained		
TFP2000-G1 -850-05	1db156a4-8af4-4bc9-8355-934adcf3dc19	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

### Teknisk utrustning

– Förenklad anslutning med matchande tillvals CONNECTsystem


### Appliktionsråd

För mer detaljerad applikationsinformation och grafik, vänligen se produktdatablad














### Försäljning och teknisk support

Försäljning och teknisk support [www.osram.se](http://www.osram.se)

### Download

Dokument	
	User instruction TEC Flex IP66

## Datablad produktfamilj

	Product Datasheet TEC Flex IP66 Product Datasheet (EN)
	Broschyrer Light is strong - Discover the versatile and flexible lighting system OSRAM 24V TEC Flex (EN)
	Certifikat TFX ENEC 130520
	Konformitetsdeklaration TECFlex CE 4210017 300420
	CAD-data DWG TEC Flex and TEC Flex Shortpitch
	Eulumdat EULUMDAT TEC Flex Protect
	Eulumdat TFP300-G1-827 LTD 130122
	IES data TFP300-G1-827 IES 130122
	Eulumdat TFP300-G1-830 LTD 130122
	IES data TFP300-G1-830 IES 130122
	Eulumdat TFP300-G1-840 LTD 130122
	IES data TFP300-G1-840 IES 130122
	Eulumdat TFP300-G1-865 LTD 130122
	IES data TFP300-G1-865 IES 130122
	Eulumdat TFP300-G1-850 LTD 130122
	IES data TFP300-G1-850 IES 130122
	Eulumdat TFP1000-G1-827 LTD 130122
	IES data TFP1000-G1-827 IES 130122
	Eulumdat TFP1000-G1-830 LTD 130122
	IES data TFP1000-G1-830 IES 130122
	Eulumdat TFP1000-G1-840 LTD 130122
	IES data TFP1000-G1-840 IES 130122
	Eulumdat TFP1000-G1-865 LTD 130122



## Datablad produktfamilj

	IES data TFP1000-G1-865 IES 130122
	Eulumdat TFP1000-G1-850 LTD 130122
	IES data TFP1000-G1-850 IES 130122
	Eulumdat TFP2000-G1-827 LTD 130122
	IES data TFP2000-G1-827 IES 130122
	Eulumdat TFP2000-G1-830 LTD 130122
	IES data TFP2000-G1-830 IES 130122
	Eulumdat TFP2000-G1-840 LTD 130122
	IES data TFP2000-G1-840 IES 130122
	Eulumdat TFP2000-G1-865 LTD 130122
	IES data TFP2000-G1-865 IES 130122
	Eulumdat TFP2000-G1-850 LTD 130122
	IES data TFP2000-G1-850 IES 130122

## Logistiska data

Produktnummer	Produktbeskrivning	Förpackningsenhet (Styck/Enhet)	Dimensioner (längd x bredd x höjd)	Volym	Bruttovikt
4062172106627	TFP300-G1 -827-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm <sup>3</sup>	3664.00 g
4062172106641	TFP300-G1 -830-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm <sup>3</sup>	3664.00 g
4062172106665	TFP300-G1 -840-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm <sup>3</sup>	3664.00 g
4062172106702	TFP300-G1 -865-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm <sup>3</sup>	3664.00 g
4062172106689	TFP300-G1 -850-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm <sup>3</sup>	3664.00 g
4062172106726	TFP1000-G1 -827-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm <sup>3</sup>	3664.00 g

## Datablad produktfamilj

### Logistiska data

4062172106740	TFP1000-G1 -830-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm <sup>3</sup>	3664.00 g
4062172106764	TFP1000-G1 -840-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm <sup>3</sup>	3664.00 g
4062172106801	TFP1000-G1 -865-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm <sup>3</sup>	3664.00 g
4062172106788	TFP1000-G1 -850-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm <sup>3</sup>	3664.00 g
4062172106825	TFP2000-G1 -827-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm <sup>3</sup>	3704.00 g
4062172106849	TFP2000-G1 -830-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm <sup>3</sup>	3704.00 g
4062172106863	TFP2000-G1 -840-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm <sup>3</sup>	3704.00 g
4062172106900	TFP2000-G1 -865-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm <sup>3</sup>	3704.00 g
4062172106887	TFP2000-G1 -850-05	Transportförpackning 10	280 mm x 305 mm x 180 mm	15.37 dm <sup>3</sup>	3704.00 g

Produktkoden gäller minsta tillåtna beställningskvantitet. En transportförpackning kan innehålla en eller flera produkter. Vid orderläggning, vänligen ange en eller flera transportförpackningar.

### Valfria tillbehör

Produktbeskrivning	Tillbehörets namn	Tillbehörets kod
TFP300-G1 -827-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP300-G1 -827-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP300-G1 -827-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP300-G1 -827-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP300-G1 -827-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP300-G1 -827-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP300-G1 -827-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP300-G1 -827-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP300-G1 -827-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP300-G1 -827-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP300-G1 -827-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP300-G1 -827-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP300-G1 -827-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP300-G1 -827-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046

## Datablad produktfamilj

TFP300-G1 -830-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP300-G1 -830-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP300-G1 -830-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP300-G1 -830-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP300-G1 -830-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP300-G1 -830-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP300-G1 -830-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP300-G1 -830-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP300-G1 -830-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP300-G1 -830-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP300-G1 -830-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP300-G1 -830-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP300-G1 -830-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP300-G1 -830-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP300-G1 -840-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP300-G1 -840-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP300-G1 -840-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP300-G1 -840-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP300-G1 -840-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP300-G1 -840-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP300-G1 -840-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP300-G1 -840-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP300-G1 -840-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP300-G1 -840-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP300-G1 -840-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP300-G1 -840-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP300-G1 -840-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP300-G1 -840-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP300-G1 -865-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP300-G1 -865-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP300-G1 -865-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP300-G1 -865-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP300-G1 -865-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP300-G1 -865-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP300-G1 -865-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP300-G1 -865-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP300-G1 -865-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP300-G1 -865-05	FX -SC08-G2-CT4PJ	▶ 4052899464858

## Datablad produktfamilj

TFP300-G1 -865-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP300-G1 -865-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP300-G1 -865-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP300-G1 -865-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP300-G1 -850-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP300-G1 -850-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP300-G1 -850-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP300-G1 -850-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP300-G1 -850-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP300-G1 -850-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP300-G1 -850-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP300-G1 -850-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP300-G1 -850-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP300-G1 -850-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP300-G1 -850-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP300-G1 -850-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP300-G1 -850-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP300-G1 -850-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1000-G1 -827-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1000-G1 -827-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1000-G1 -827-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1000-G1 -827-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1000-G1 -827-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1000-G1 -827-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1000-G1 -827-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1000-G1 -827-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1000-G1 -827-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1000-G1 -827-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1000-G1 -827-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP1000-G1 -827-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1000-G1 -827-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1000-G1 -827-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1000-G1 -830-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1000-G1 -830-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1000-G1 -830-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1000-G1 -830-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1000-G1 -830-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1000-G1 -830-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889

## Datablad produktfamilj

TFP1000-G1 -830-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1000-G1 -830-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1000-G1 -830-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1000-G1 -830-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1000-G1 -830-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP1000-G1 -830-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1000-G1 -830-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1000-G1 -830-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1000-G1 -840-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1000-G1 -840-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1000-G1 -840-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1000-G1 -840-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1000-G1 -840-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1000-G1 -840-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1000-G1 -840-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1000-G1 -840-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1000-G1 -840-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1000-G1 -840-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1000-G1 -840-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP1000-G1 -840-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1000-G1 -840-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1000-G1 -840-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1000-G1 -865-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1000-G1 -865-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP1000-G1 -865-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1000-G1 -865-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1000-G1 -865-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1000-G1 -865-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1000-G1 -865-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1000-G1 -865-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1000-G1 -865-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1000-G1 -865-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1000-G1 -865-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP1000-G1 -865-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1000-G1 -865-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1000-G1 -865-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP1000-G1 -850-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP1000-G1 -850-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300

## Datablad produktfamilj

TFP1000-G1 -850-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP1000-G1 -850-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP1000-G1 -850-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP1000-G1 -850-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP1000-G1 -850-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP1000-G1 -850-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP1000-G1 -850-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP1000-G1 -850-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP1000-G1 -850-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP1000-G1 -850-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP1000-G1 -850-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP1000-G1 -850-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP2000-G1 -827-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP2000-G1 -827-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP2000-G1 -827-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP2000-G1 -827-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP2000-G1 -827-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP2000-G1 -827-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP2000-G1 -827-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP2000-G1 -827-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP2000-G1 -827-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP2000-G1 -827-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP2000-G1 -827-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP2000-G1 -827-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP2000-G1 -827-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP2000-G1 -827-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP2000-G1 -830-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP2000-G1 -830-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP2000-G1 -830-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP2000-G1 -830-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP2000-G1 -830-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP2000-G1 -830-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP2000-G1 -830-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP2000-G1 -830-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP2000-G1 -830-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP2000-G1 -830-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP2000-G1 -830-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP2000-G1 -830-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853

## Datablad produktfamilj

TFP2000-G1 -830-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP2000-G1 -830-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP2000-G1 -840-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP2000-G1 -840-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP2000-G1 -840-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP2000-G1 -840-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP2000-G1 -840-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP2000-G1 -840-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP2000-G1 -840-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP2000-G1 -840-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP2000-G1 -840-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP2000-G1 -840-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP2000-G1 -840-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP2000-G1 -840-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP2000-G1 -840-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP2000-G1 -840-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP2000-G1 -865-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP2000-G1 -865-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP2000-G1 -865-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP2000-G1 -865-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP2000-G1 -865-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP2000-G1 -865-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP2000-G1 -865-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP2000-G1 -865-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TFP2000-G1 -865-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP2000-G1 -865-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP2000-G1 -865-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP2000-G1 -865-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP2000-G1 -865-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP2000-G1 -865-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TFP2000-G1 -850-05	ENDCAP -IP67 KIT 10PCS	▶ 4062172176552
TFP2000-G1 -850-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TFP2000-G1 -850-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TFP2000-G1 -850-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TFP2000-G1 -850-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TFP2000-G1 -850-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TFP2000-G1 -850-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TFP2000-G1 -850-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008

## Datablad produktfamilj

TFP2000-G1 -850-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TFP2000-G1 -850-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TFP2000-G1 -850-05	FX -SC08-G2-C2PF-IP54-0500	▶ 4052899464889
TFP2000-G1 -850-05	FX -SC08-G2--BTJ-IP54	▶ 4052899568853
TFP2000-G1 -850-05	FX-DCS -G1-GL-25	▶ 4052899452244
TFP2000-G1 -850-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046

---

### Friskrivningsklausul

Kan ändras utan föregående notifiering. Felaktigheter och försummelse undantagna. Se alltid till att använda den senaste utgåvan.